



# Product Guide

HE Series...

## HE Series

Premier Indoor Evaporator Coils



## The Premier Upgrade for Any System...


Introducing Healthy Solutions® Premier Evaporator Coils by ADP. These coils match perfectly with your system, providing an upgrade over standard matched coils.



Intertek lab tested  
**1% or less** cabinet air  
leakage for better efficiency




Painted cabinet  
options for furnace  
color coordination



Aluminum or copper  
coils provide flexibility  
for local markets

Built-in plenum  
flanges with rounded  
corners for fast and  
safe installation



Front panel with only  
four screws for fast  
and easy coil access

Non-captive  
refrigerant lines




TXV with all  
threaded connections;  
no brazing required



HydroTEC™ drain  
pan design for lower  
water retention

Dual drain connections  
on each side for ease  
of installation



Green & red drain  
pan plugs to identify  
primary vs. secondary



## Improved Air Quality

Microbes can double every 20 minutes on an untreated surface!



Standard plastic pan with visible mold




Plastic pan with Microban® antimicrobial additive

Mold is part of our environment and there are no practical ways to completely eliminate mold spores. The best defense against mold in a home is to prevent it from taking hold through moisture control and the use of mold resistant building materials.

Every Healthy Solutions® coil features Microban® technology, providing added protection against the build-up of mold and mildew within your system!

## Lower Height

ADP provides space saving opportunities and a perfect fit with your furnace!



\* See spec guide for available models



## The ADP Advantage...

### PROTECTION

ADP is the exclusive provider of coils featuring antimicrobial product protection by Microban®, a recognized consumer brand.

### QUALITY

ADP proprietary testing technology ensures leak-free performance at the higher operating pressures of R-410A systems.

### SERVICE

Healthy Solutions® coils are made for seamless installation and easy access.

### ENERGY SAVINGS

Many models are available to achieve higher SEER levels for ENERGY STAR compliance, utility rebates, and federal tax credits.

### WARRANTY

Healthy Solutions® coils feature an available 10-year limited warranty. Simply register online at [www.adpwarranty.com](http://www.adpwarranty.com).

# Product Nomenclature



Made in the USA  
from US and imported parts

## H E30 2 24 C 145 B 12 05 AP

### Cabinet Color

- H: Embossed
- A: Armstrong
- D: Ducane/Aire-Flo
- G: ICP
- J: Goodman/Amana
- L: Lennox
- N: Nordyne
- P: Carrier/Bryant/  
Payne
- R: Rheem/Ruud
- T: Trane/American  
Standard
- Y: York/Luxaire/  
Coleman

### Slab Number

- E & A: Copper slab
- G & B: Aluminum slab

### Metering Device <sup>[1]</sup>

- 1: Piston (R-410A)
- 2: Piston (R-22)
- 3: Bleed A/C TXV (R-22)
- 4: Non-bleed A/C TXV (R-22)
- 5: Non-bleed HP-A/C TXV (R-22)
- 6: Non-bleed A/C TXV (R-410A)
- 7: Bleed HP-A/C TXV (R-410A)
- 8: Bleed A/C TXV (R-410A)
- 9: Non-bleed HP-A/C TXV (R-410A)

### Nominal MBTUH

#### Cabinet Depth

- A: Uncased
- C: 20.5"
- D: 21.0"
- E: 21.5"

### Piston Size <sup>[2]</sup>

AP: TXV access port <sup>[3]</sup>

#### MBTUH R-22 R-410A

12:	41	41
18:	53	49
24:	59	53
30:	67	59
36:	73	67
42:	80	73
48:	84	76
60:	93	93

### Product Code

- 00: Right-hand uncased
- 01: Right-hand cased
- 04: Left-hand uncased
- 05: Left-hand cased
- 20: Right-hand cased multi-position
- 22: Left-hand cased multi-position

### Cabinet Height

- 00: Uncased
- 12: 12.50"
- 16: 16.50"
- 18: 18.50"
- (Up to 31.5")

*Note: Cabinet height not a selectable option, see cased dimensions*

### Cabinet Upper Notch

- A: Uncased
- B: 0.75" (standard)

### Width

Cased	Uncased
140: 14.00"	130: 13.00"
142: 14.25"	140: 14.00"
145: 14.50"	155: 15.50"
175: 17.50"	170: 17.00"
210: 21.00"	200: 20.00"
245: 24.50"	205: 20.50"
255: 25.50"	235: 23.50"
	251: 25.12"

[1] 7 and 8 valve options available only for York family products.

[2] Piston will be sized to match the nominal BTU rating of the coil

[3] TXV access port standard on factory installed TXVs; optional on piston models

Proudly distributed by:

2175 West Park Place Boulevard  
Stone Mountain, Georgia 30087  
www.adpnow.com

ISO 9001:2008  
—Registered Quality System—



SL-HAC-13  
April 2016