

Thoughtfully designed. Expertly engineered.


# THE HONEYWELL T SERIES

Fits your business to a **T**.




# BRILLIANT

Meet the next generation of everyday comfort solutions.



## Introducing the Honeywell T Series.

The T Series is a portfolio of non-connected and Wi-Fi connected thermostats that streamlines everything from product selection and installation to customer service and support. With a standard footprint and simple interface, the T Series will enhance the entire thermostat experience for you and your customers alike.

A man in a blue denim shirt and khaki pants is walking from left to right. On the wall behind him is a white thermostat displaying the number 72. To the right of the man is a white plastic chair with a black metal frame and four wooden legs. The background is a plain white wall and a grey floor.

As an HVAC contractor, you need to maximize margins while controlling complexity. More isn't necessarily better. That's why instead of adding to our thermostat portfolio, we're **optimizing it.**



UWP  
mounting  
system

## A thermostat series designed with **CONTRACTORS IN MIND**



*Intuitive setup*

### **Fits your technicians to a T**

Every T Series thermostat features on-screen menus with familiar installer setup (ISU) steps, helping to eliminate the learning curve that can come with a new product. Your techs will be T Series experts in no time.



*Faster installs*

### **Fits your install process to a T**

With the new UWP mounting system, you can standardize your training program, install process, and truck stock – helping your techs get in and out and on their way more quickly and efficiently.



*Easy upsell*

### **Fits your revenue model to a T**

The T Series has a snap-together design that enables you to easily move customers from a non-connected to a connected thermostat without having to rip and replace the connector and cover plate.\*

\*C-wire required

Discover all the ways the Honeywell T Series fits your business to a T. Get product info, training materials and more at [ForwardThinking.Honeywell.com/TSeries](https://www.honeywell.com/TSeries).

# DELIVER CONNECTIVITY

without the complexity

Homeowners want a connected home experience that streamlines and simplifies. The new Lyric T6 Pro Wi-Fi will fit their needs to a T. It's easy to use, easy to love, and easy for your techs to install and set up. Homeowners are asking for and adopting home automation technologies, and the Lyric T6 Pro Wi-Fi enables you to offer a simple solution that's integration-ready.

## Simple functionality

### Interact at the wall or on the app

Installers and homeowners can choose to do setup and scheduling at the wall like a traditional thermostat, or they can use the new and improved Lyric app.

### Super-simple homeowner hand-off

Installers can use the Lyric app to send customers a personalized email that invites them to complete the Wi-Fi connection process on their own.

### Optional ventilation control

The Lyric T6 Pro Wi-Fi is available with optional ventilation control and dual fuel capabilities for residential new construction projects that need to meet the ASHRAE 62.2 standard.

## Smart features

### Flexible comfort control

Homeowners can program a schedule or use location-based control with geofence technology, which uses their smartphone location to save energy when they're away and make the home comfortable when they return.

### Ecosystem integration partnerships

The Lyric T6 Pro Wi-Fi seamlessly integrates with Apple® HomeKit™, Amazon Echo® and more for customers who want to control all their smart home devices from a single app. See the ever-growing integration list at [forwardthinking.honeywell.com/ecosystemintegrators](http://forwardthinking.honeywell.com/ecosystemintegrators).



Lyric™ T6 Pro Wi-Fi



## T SERIES COMPARISON CHART

| Thermostat  | Thermostat name                            | Program options   | Power method      | Display size | Stages                               | Dual fuel | Ventilation with ERV/HRV or damper | Wired indoor/outdoor sensors                       | Service reminders |
|---|--|---|-------------------|--------------|--------------------------------------|-----------|------------------------------------|--|-------------------|
|    | <b>Lyric™ T6 Pro Wi-Fi</b><br>TH6320WF2003 | Geofencing, 1-week, 7-day, 5-2, 5-1-1 or non-programmable | C-wire only       | 6.89 sq. in. | 3H/2C Heat Pump + 2H/2C Conventional | Yes       | Yes                                | Yes. Outdoor sensor for lockouts only. No display. | Yes               |
|    | <b>Lyric T6 Pro Wi-Fi</b><br>TH6220WF2006  | Geofencing, 1-week, 7-day, 5-2, 5-1-1 or non-programmable | C-wire only       | 6.89 sq. in. | 2H/1C Heat Pump + 2H/2C Conventional | No        | No                                 | Yes. Outdoor sensor for lockouts only. No display. | Yes               |
|    | <b>T6 Pro</b><br>TH6320U2008               | 7-day, 5-2, 5-1-1 or non-programmable                     | Battery or C-wire | 5.44 sq. in. | 3H/2C Heat Pump + 2H/2C Conventional | Yes       | No                                 | Yes. Outdoor sensor for lockouts only. No display. | Limited           |
|    | <b>T6 Pro</b><br>TH6220U2000               | 7-day, 5-2, 5-1-1 or non-programmable                     | Battery or C-wire | 5.44 sq. in. | 2H/1C Heat Pump + 2H/2C Conventional | Yes       | No                                 | Yes. Outdoor sensor for lockouts only. No display. | Limited           |
|   | <b>T6 Pro</b><br>TH6210U2001               | 7-day, 5-2, 5-1-1 or non-programmable                     | Battery or C-wire | 5.44 sq. in. | 2H/1C Heat Pump + 1H/1C Conventional | No        | No                                 | No   | Limited           |
|  | <b>T4 Pro</b><br>TH4210U2002               | 7-day, 5-2, 5-1-1 or non-programmable                     | Battery or C-wire | 2.37 sq. in. | 2H/1C Heat Pump + 1H/1C Conventional | No        | No                                 | No   | Limited           |
|  | <b>T4 Pro</b><br>TH4110U2005               | 7-day, 5-2, 5-1-1 or non-programmable                     | Battery or C-wire | 3.93 sq. in. | 1H/1C Heat Pump + 1H/1C Conventional | No        | No                                 | No   | Limited           |
|  | <b>T1 Pro</b><br>TH1110D2009               | Non-programmable  | Battery or C-wire | 2.37 sq. in. | 1H/1C Heat Pump + 1H/1C Conventional | No        | No                                 | No   | No                |
|  | <b>T1 Pro</b><br>TH1010D2000               | Non-programmable  | Battery or C-wire | 2.37 sq. in. | 1 Heat or 1 Cool only                | No        | No                                 | No   | No                |

### For more information

[www.ForwardThinking.Honeywell.com/TSeries](http://www.ForwardThinking.Honeywell.com/TSeries)

### Home and Building Technologies

1985 Douglas Drive North  
Golden Valley, MN 55422  
Connected: 1-800-633-3991  
Non-connected: 1-800-468-1502  
[www.honeywell.com](http://www.honeywell.com)

**Follow us on Facebook:** [Facebook.com/HoneywellHomePro](https://www.facebook.com/HoneywellHomePro)

**Follow us on Twitter:** @HoneywellPro

**Learn:** [YouTube.com/HoneywellHomePro](https://www.youtube.com/HoneywellHomePro)

Apple is a trademark of Apple Inc., registered in the U.S. and other countries. HomeKit is a trademark of Apple Inc.

03-00306 | SCH | 08/17  
© 2017 Honeywell International Inc.

