

### **WARNING**

Sharp edges may cause injury from cuts. Use caution when handling sheet metal.

### **CAUTION**

- 1. Read instructions thoroughly before beginning installation.
- 2. Do not install the upgrade kit in a location where the media will be in direct exposure to UV light. UV lights will cause degradation of the filtering media.


# **APPLICATION**

Fits common 20"x 25" and 16"x 25" air cleaners that utilize a 4" thick cartridge filter including models by:

- Carrier
- Lennox
- General
- Trion
- Honeywell
- Ultravation


Refer to the specification sheet for specific model numbers located at **www.aprilairepartners.com** in the Literature and Manuals section.

## **CONTENTS OF PACKAGE**




## **INSTALLATION**

1. **IMPORTANT:** Turn the thermostat mode to OFF and fan to AUTO.




#### 2A. FOR 20"x 25" AIR CLEANERS

- Snap frame supports into frame base as shown eight (8) places. Make sure the support slides in and hits the center rail of the frame base.
- Adjust supports height to height of air cleaner.





#### 2B. FOR 16"x 25" AIR CLEANERS

- Frame supports must be shortened. Remove wing nuts and re-assemble supports in upper slots.
- Snap frame supports into frame base as shown eight
  (8) places. Make sure the support slides in and hits
  the center rail of the frame base.
- Adjust supports height to height of air cleaner.



- **3.** Remove the door from the air cleaner.
- **4.** Slide the upgrade kit completely into the air cleaner housing.







**5.** Secure the frame to the outer housing using four 1/2" long sheet metal screws.


**Note:** Screws must not interfere with filter installation.

**6.** Apply the door label to the front of the door as shown.





**7.** Install the media into the Upgrade Kit frame using the directions on the filtering media sleeve to ensure the media is in the correct orientation; the outlet side of the media is the expanded metal side.



- 8. Install the air cleaner door.
- **9.** Return the thermostat mode and fan to the desired setting.

