


ATTICAT® SYSTEM OVERVIEW



AttiCat®

EXPANDING BLOWN-IN
INSULATION SYSTEM



The AttiCat® System Overview has been designed and developed specifically for authorized AttiCat® System dealers. Program offers outlined below apply to authorized AttiCat® System dealer locations only. (Applicable to the Continental U.S.)

ATTICAT® INSTALLATION MACHINE



Part Number	568211
Size	48" height, 32¼" width
Weight	141 lb.
Hose	100 ft. 2½"
Drive Motor	¾ hp—8.4 amps
Electric	115v/220v 50/60Hz
Power Requirements	One 15 amp, 115v circuit
Pallet Weight	155 lb.
Pallet Dimensions	40"x40"

NOTES

- Order lead time 7-10 days
- Ships to Distributor or LTL to Contractor (through Distributor only)

ATTICAT® EXPANDING BLOWN-IN PINK® FIBERGLAS™ INSULATION



	ATTICAT®—UNITIZED	ATTICAT®—PALLETIZED
Part Number	531659	536978
Weight/bag	28.5 lb./bag 513 lb. insulation/unit	28.5 lb./bag 428 lb. insulation/pallet
Ship Configuration	6 row stack 3 bags per row 18 bags/shrink-wrap	5 row stack 3 bags per row 15 bags/pallet
Min. Order Quantity	½ truck load	½ truck load
Full Truck Load	972 bags (qualifies for pre-paid freight)	810 bags, 54 pallets

ATTICAT[®] SYSTEM OVERVIEW

MULTI-PURPOSE INSULATION



Product Code	111781
Short Code	A85
Roll UPC I2	086397701942
Stocking Locations	SC, FB, KC, DEL, WAX
Product Dimensions	16"x48"x2"
Carton Dimensions	36"x24"x16"
Pallet Dimensions	48"x48"x80"
Minimum Quantity	1 pk (35 ea) top-loaded
Truckload Quantity	10,920


raft-R-mate[®] VENTILATION BAFFLES



	raft-R-mate [®] — UPS	raft-R-mate [®] — TOP LOADED
Part Number	459263	536978
Description	raft-R-mate [®] 22.5x48 75/ct(UPS) 12rm(retail)	raft-R-mate [®] 22.5x48 75/ct 900/pl
Order Unit	Carton	
Order Requirements	1 min—8 max	1 carton min, 12 cartons per pallet
Quantity	75/carton	
Sample	Samples of the improved raft-R-mate [®] are available in 2 count sets—Pub. No. 10010200	

TYPICAL USAGE

- One raft-R-mate[®] ventilation baffle placed at every other rafter
- HINT: measure longest vented side of attic in feet and order the same number of raft-R-mate[®] baffles—assumes 2' center joists, every other space, both sides of attic



WALL FABRIC—8', 9' AND 10'

For installing Owens Corning Blown-In Insulation in walls or other framing cavities, Owens Corning Wall Fabric takes advantage of the new higher R-value wall installation charts on AttiCat® Insulation.



	8'2"	9'2"	10'2"
Product Code	431767	427612	431768
Short Code	L40	L39	L42
UPC I2	047563700657	047563700664	047563700671
Stocking Locations	FB, KC, DEL	SC, FB, KC, DEL, NEW, WAX, POR	FB, KC, POR
Product Dimensions sq ft 611'	4,990	5,601	6,212
Minimum Quantity	1 roll top-loaded		
Pallet Size	20 rolls		

ATTIC STAIRWAY INSULATOR

The Owens Corning Attic Stairway Insulator adds the finishing touch to the AttiCat® insulation system. Made from R-10 insulation with durable foil facing on both sides, the Attic Stairway Insulator installs quickly and easily, insulates the attic stair to provide energy efficiency and comfort, and can be easily moved when accessing the attic.



Product Code	541799
Short Code	AS2
Carton UPC I2	047563701265
Stocking Locations	SC, FB, KC, DEL, NEW, WAX
Product Dimensions	69.3"x60"x3" thick
Carton Dimensions	12"x24"x16"
Pallet Dimensions	40"x48"x36"
Minimum Quantity	6 ea top-loaded
Truckload Quantity	720

ATTICAT[®] SYSTEM OVERVIEW

ATTIC HATCH INSULATOR—RETAIL CARTON

Much like our popular Attic Stairway Insulator, the Attic Hatch Insulator makes it easy to add insulation to attic hatches (aka scuttles or access hatches). Half of US homes have attic hatches instead of pull-down attic stairs, over 80% of those are 24"x32" or smaller, most of them are not properly insulated, and almost none of them are air sealed. Our solution allows the hatch to be insulated to R-30 and dual facing of durable reinforced foil. This dual layer provides a strong facing to staple to the hatch and minimizes contact with the insulation. The included weather-stripping provides everything needed to insulate and air seal correctly.



Product Code	565046
Short Code	AHI
Carton UPC I2	047563703153
Stocking Locations	SC, FB, KC, DEL, NEW, WAX
Product Dimensions	24"x32"x9" thick
Carton Dimensions	10"x24"x13"
Pallet Dimensions	40"x48"x36"
Minimum Quantity	8 ea top-loaded
Truckload Quantity	576

ATTIC HATCH INSULATOR—CONTRACTOR 10 PACK


In response to market feedback from contractors preferring lower cost bulk packaging, we are launching a second Attic Hatch Insulator SKU in a bulk 10-pack without weather-stripping. This allows distributors to provide a low cost option for contractors.



Product Code	597686
Short Code	AH2
Pack UPC I2	047563706246
Stocking Locations	SC, FB, KC, DEL, NEW, WAX
Product Dimensions	24"x32"x9" thick
Carton Dimensions	24"x32"x30"
Pallet Dimensions	40"x48"x68"
Minimum Quantity	10 pc/1 pk top-loaded
Truckload Quantity	1,920

NOTES

- Bulk Pack of 10 added to an insulation order (Top Loaded)



SMARTCAP® ATTIC RECESSED LIGHT COVER

Make your next attic insulation project that much easier by adding a SmartCap® Attic Recessed Light Cover to your list of hard working insulation accessories. SmartCap® Attic Recessed Light Cover is a pre-assembled, easy to install, fire-rated recessed light cover that simply unfolds into a perfect cap over non-IC rated light fixtures in the attic.



Product Code	Carton UPS 567766(50) Carton Top-Loaded 543516(500)
Short Code	Carton UPS RLC Carton Top-Loaded RLP
Unit UPC I2	047563701296
Stocking Locations	SC, FB, KC, DEL, NEW, WAX
Product Dimensions (wxdxh)	14"x20"x28"
Carton Dimensions (wxdxh)	14"x30"x12.5"
Pallet Dimensions (wxdxh)	48"x40"x24"
Minimum Quantity	Top-loaded—50 UPS—50
Truckload Quantity	N/A

ATTICAT® 3" WOOD PLUGS

Re-insulating walls with AttiCat® requires drilling 2-3" holes per cavity, typically through the exterior sheathing. Most homes without wall insulation have wood exterior sheathing and we recommend plugging the holes in wood sheathing with a tapered wood plug.



Product Code	581088
Bag UPC I2 (ea)	047563706192
Carton UPC I2	047563706208
Stocking Locations	UPS only
Product Dimensions	3"x3"x3/4" thick
Carton Dimensions	26x24x7
Pallet Quantity	10,000 Plugs
Pallet Dimensions	40"x48"
Minimum Quantity	1 carton, 16 bags, 400 plugs Cartons of 400 UPS Ground (7-10 days)
Truckload Quantity	N/A

ATTICAT[®] SYSTEM OVERVIEW

GARAGE DOOR INSULATION KIT

The Garage Door Insulation Kit is a great way to insulate part of the home envelope that is often ignored and improve garage comfort. These R-8 panels covered in tough, washable vinyl facing are an attractive and cost effective way to improve garages. It makes an easy project for the millions of Americans with un-insulated garage doors and a great offering for contractors in several trades.



Product Code	500824
Short Code	GD01
Carton UPC 12	047563700275
Stocking Locations	SC, FB, KC, DEL, NEW, WAX
Product Dimensions	(8)22"x54"x2.25" thick
Carton Dimensions (wxdxh)	12"x24"x16"
Pallet Dimensions (wxdxh)	40"x48"x36"
Minimum Quantity	6 ea top-loaded
Truckload Quantity	60 pallets/720 cartons

FLIR I5 INFRARED CAMERA

In response to ongoing interest from re-insulation contractors, Flir I5 cameras are now available through Owens Corning. The I5 is a standard Flir entry level infrared camera, warranted and serviced through Flir. Thanks to recently lowered prices, the I5 is now a very affordable building diagnostics and sales tool.



Large LCD Display




Pocket Sized

Product Code	500824
Stocking Locations	SC, FB, KC, DEL, NEW, WAX
Minimum Quantity	6 ea top-loaded



AttiCat®

EXPANDING BLOWN-IN
INSULATION SYSTEM




HOW TO ORDER	
Owens Corning Customer Service	I-800-328-7617
AttiCat® Machine & Insulation	Part No.
AttiCat® Installation Machine	438107
AttiCat® Expanding Blown-in PINK® Fiberglas™ Insulation (Unitized/Palletized)	531659/536978
Multi-Purpose Insulation	111781
AttiCat® Accessories	Part No.
raft-R-mate® Ventilation Baffles (UPS/Top Loaded)	459263/510266
Wall Fabric (8', 9', 10')	431767/427612/431768
Attic Stairway Insulator	541799
Attic Hatch Insulator—Retail Carton	565046
Attic Hatch Insulator—Contractor 10 Pack	597686
SmartCap® Attic Recessed Light Cover (UPS/Top Loaded)	567766/543516
AttiCat® 3" Wood Plugs	581088
Garage Door Insulation Kit	500824
Flir 15 Infrared Camera	890473
AttiCat® Installation Machine—Hose Sections/Remote	Part No.
AttiCat® 50', 2½" Hose with Collar	522379
AttiCat® Assembly Hose 2½" with Remote	524344
AttiCat® Center Extension 50', 2½" Hose	522378
AttiCat® Remote & Receiver	522380



AttiCat[®]

EXPANDING BLOW-IN
INSULATION SYSTEM



ATTICAT[®] SYSTEM HELP LINE

Any questions or service call
1-800-GET-PINK[®]
www.owenscorning.com



OWENS CORNING INSULATION SYSTEMS, LLC
ONE OWENS CORNING PARKWAY
TOLEDO, OHIO, USA 43659

1-800-GET-PINK[®]
www.owenscorning.com

INNOVATIONS FOR LIVING[™]

Pub. No. 10015677. Printed in U.S.A. August 2011. THE PINK PANTHER[™] &
©1964–2011 Metro-Goldwyn-Mayer Studios Inc. All Rights Reserved. The
color PINK is a registered trademark of Owens Corning. ©2011 Owens Corning.

