

Braeburn®

Connect with Comfort™



Universal Wireless Thermostat Kit



7500

Universal Wireless Thermostat Kit

Up to 3 Heat / 2 Cool Heat Pump Up to 2 Heat / 2 Cool Conventional

Thermostat Features

- 7 Day, 5-2 Day or Non-Programmable
- Large 5 Sq. In. Backlit Display
- Auto or Manual Changeover
- Residential or Commercial Modes
- Battery Operated for Total Installation Flexibility
- Compatible with 2 or 3 Wire Hydronic Zone Systems
- Auxiliary Heat Fossil Fuel Option
- Programmable Fan Control
- R and C Terminals for Optional 24 Volt Operation
- Adjustable Temperature Limits
- Multi-Level Keypad Lockout
- Quick Reference Instruction Card

Wireless Features

- Superior Wireless Performance – Over 1,000 Ft. Linear Open Air Wireless Range
- Battery Life Exceeds Virtually All Competitive Models
- Includes Supply Air Sensor for Default Temperature Control Even if Batteries are Drained
- Connect up to 4 Optional Wireless Indoor Sensors for Remote Temperature Sensing*
- Optional Wireless Outdoor Sensing for Outdoor Temperature Display or Balance Point Control*
- Optional Wireless Humidity Plenum Sensor for Whole-House Humidification Control*
- Affordable Solution for Most Thermostat Applications



BlueLink
smart connect

RVHS
COMPLIANT

5 YEAR
LIMITED
WARRANTY



Wireless Remote Sensors and Accessories



7390 Wireless Remote Indoor Sensor

- Sense temperature at remote location or combine with thermostat
- Up to 4 wireless remote indoor sensors can be connected*
- Front LED light shows sensor status
- Requires 2 “AA” Alkaline batteries (included)




7490 Wireless Remote Outdoor Sensor

- Display outdoor temperature
- Use for heat pump balance point control
- 1 wireless remote outdoor sensor can be connected*
- Requires 2 “AA” Lithium batteries (included)



7330 Wireless Remote Humidity Sensor

- Controls humidifier or dehumidifier
- Mounts directly to return air plenum
- 1 wireless remote humidity sensor can be connected*
- 24 VAC Powered




7340 Share-a-Wire™ Module

- For use with BlueLink Smart Connect Wi-Fi Thermostats
- Provides a common “c wire” connection on a 4 wire system

Also Available

- | | |
|---------------------------|---------------------------------|
| 5390 Wired Indoor Sensor | 2950 Decorative Wall Plate |
| 5490 Wired Outdoor Sensor | 5970 Universal Thermostat Guard |



* Up to 4 wireless Sensors can be connected - see Installer Manual.

NEW! Smart Wi-Fi Universal Thermostat



NEW! Expandable Zone Panels



Braeburn® Products



Welcome! Braeburn is the value alternative for a wide variety of indoor air quality control products. Founded in 2001, our corporate headquarters is located in Montgomery, Illinois – just west of Chicago. We are committed to providing you with the precision products you would expect from a world class company. Our manufacturing facility is ISO 9001 and QS9000 rated for the highest assurance of quality. Braeburn provides solutions to lower energy costs and increase comfort in any home or business environment. Our innovative value-added features, reliability and contemporary designs make us the brighter choice in thermostats, air filtration products, humidification and zoning.



**We support the
Energy Aware
Program**

www.getenergyaware.com

**Toll-Free 866-268-5599 (U.S.)
+1.630.844.1968 (Outside the U.S.)
Fax 866.268.8897 • www.braeburnonline.com**

Braeburn Systems LLC • 2215 Cornell Avenue • Montgomery, IL 60538
©2015 Braeburn Systems LLC • All Rights Reserved • 7500-260-01