



MATERIAL SAFETY DATA SHEET

RFOIL™ REFLECTIVE INSULATION (DOUBLE LAYER)

JUNE 2013

SECTION 1: PRODUCT IDENTIFICATION

NAME: RFOIL REFLECTIVE INSULATION
 DESCRIPTION: REFLECTIVE INSULATION
 MANUFACTURER: COVERTECH FABRICATING INC.
 ADDRESS: 279 HUMBERLINE DRIVE
 ETOBICOKE, ONTARIO, CANADA
 M9W 5T6
 TELEPHONE: 800-837-8961
 FAX: 416-798-1342

SECTION 2: HAZARDOUS INGREDIENTS

THESE PRODUCTS ARE NOT CONSIDERED TO BE HAZARDOUS, AND ARE NOT CLASSIFIED AS 'CONTROLLED PRODUCTS'. THEY ARE COMPRISED PRINCIPALLY OF POLYETHYLENE AND METALIZED ALUMINUM THAT ARE NON HAZARDOUS.

SECTION 3: PHYSICAL DATA

BOILING POINT: NOT APPLICABLE
 TEMPERATURE RANGE: -50°F TO 180°F
 WATER VAPOUR PERM: < 0.01 PERMS
 APPEARANCE: FLEXIBLE SHEET
 ODOUR: NONE



SECTION 4: FIRE & EXPLOSION DATA

FLAME SPREAD: 0 (ASTM E84-09) / 0 (CAN/ULC-S102-10)
 SMOKE DEVELOPMENT: 20 (ASTM E84-09) / 10 (CAN/ULC-S102-10)
 EXTINGUISHING MEDIA: CO2, DRY CHEMICAL, WATER OR FOAM
 USUAL FIRE HAZARDS: BARRIER FOIL MATERIALS ARE NOT HIGHLY FLAMMABLE, BUT IN CONTACT WITH FLAME THEY WILL MELT AND BURN.

SECTION 5: REACTIVITY DATA

STABILITY: PRODUCTS ARE STABLE AND INERT TO MOST CHEMICALS. NONE CAUSE A VIOLENT REACTION.
 INCOMPATIBILITY: CONSULT WITH MANUFACTURER PRIOR TO USING AS A CONTAINMENT OR BARRIER FOR CHEMICALS OTHER THAN WATER.

SECTION 6: HEALTH HAZARD DATA

INHALATION: NONE
 EYES & SKIN: NONE
 INGESTION: PRODUCTS SHOULD NOT BE EATEN OR KEPT IN CONTACT WITH FOOD

SECTION 7: SPECIAL PRECAUTION & HANDLING INFORMATION


GENERALLY THE PRODUCTS REQUIRE NO SPECIAL PRECAUTIONS WHEN HANDLING. HOWEVER THE PRODUCTS MAY BECOME SLIPPERY WHEN WET, AND CARE SHOULD BE TAKEN WHEN WALKING ON THIS.

SECTION 8: FIRST AID MEASURES


NOT APPLICABLE

NOTE: THE INFORMATION CONTAINED IN THIS SHEET IS DISCLOSED IN GOOD FAITH AND IS PROVIDED TO THE BEST KNOWLEDGE OF THE MANUFACTURER. NEVERTHELESS IT IS NOT A WARRANTY AND COVERTECH FABRICATING INC. ASSUMES NO RESPONSIBILITY FOR DAMAGES INCURRED FROM THE USE OR INABILITY TO USE THE PRODUCT

279 Humberline Drive Etobicoke, ON M9W 5T6
 Call Toll Free: 1-800-837-8961 Local: 416-798-1340
 Fax: 416-798-1342 Email: sales@rfoil.com
 Visit our Website: www.rfoil.com



Published: November 15, 2013



MATERIAL SAFETY DATA SHEET

RFOIL™ REFLECTIVE INSULATION (SINGLE LAYER)

JUNE 2013

SECTION 1: PRODUCT IDENTIFICATION

NAME: rFOIL REFLECTIVE INSULATION
 DESCRIPTION: REFLECTIVE INSULATION
 MANUFACTURER: COVERTECH FABRICATING INC.
 ADDRESS: 279 HUMBERLINE DRIVE
 ETOBICOKE, ONTARIO, CANADA
 M9W 5T6
 TELEPHONE: 800-837-8961
 FAX: 416-798-1342

SECTION 2: HAZARDOUS INGREDIENTS

THESE PRODUCTS ARE NOT CONSIDERED TO BE HAZARDOUS, AND ARE NOT CLASSIFIED AS 'CONTROLLED PRODUCTS'. THEY ARE COMPRISED PRINCIPALLY OF POLYETHYLENE AND METALIZED ALUMINUM THAT ARE NON HAZARDOUS.

SECTION 3: PHYSICAL DATA

BOILING POINT: NOT APPLICABLE
 TEMPERATURE RANGE: -50°F TO 180°F
 WATER VAPOUR PERM: < 0.01 PERMS
 APPEARANCE: FLEXIBLE SHEET
 ODOUR: NONE



SECTION 4: FIRE & EXPLOSION DATA

FLAME SPREAD: 0 (ASTM E84-09)
 SMOKE DEVELOPMENT: 20 (ASTM E84-09)
 EXTINGUISHING MEDIA: CO2, DRY CHEMICAL, WATER OR FOAM
 USUAL FIRE HAZARDS: BARRIER FOIL MATERIALS ARE NOT HIGHLY FLAMMABLE, BUT IN CONTACT WITH FLAME THEY WILL MELT AND BURN.

SECTION 5: REACTIVITY DATA

STABILITY: PRODUCTS ARE STABLE AND INERT TO MOST CHEMICALS.
 NONE CAUSE A VIOLENT REACTION.
 INCOMPATIBILITY: CONSULT WITH MANUFACTURER PRIOR TO USING AS A CONTAINMENT OR BARRIER FOR CHEMICALS OTHER THAN WATER.

SECTION 6: HEALTH HAZARD DATA

INHALATION: NONE
 EYES & SKIN: NONE
 INGESTION: PRODUCTS SHOULD NOT BE EATEN OR KEPT IN CONTACT WITH FOOD

SECTION 7: SPECIAL PRECAUTION & HANDLING INFORMATION


GENERALLY THE PRODUCTS REQUIRE NO SPECIAL PRECAUTIONS WHEN HANDLING. HOWEVER THE PRODUCTS MAY BECOME SLIPPERY WHEN WET, AND CARE SHOULD BE TAKEN WHEN WALKING ON THIS.

SECTION 8: FIRST AID MEASURES

NOT APPLICABLE

NOTE: THE INFORMATION CONTAINED IN THIS SHEET IS DISCLOSED IN GOOD FAITH AND IS PROVIDED TO THE BEST KNOWLEDGE OF THE MANUFACTURER. NEVERTHELESS IT IS NOT A WARRANTY AND COVERTECH FABRICATING INC. ASSUMES NO RESPONSIBILITY FOR DAMAGES INCURRED FROM THE USE OR INABILITY TO USE THE PRODUCT

279 Humberline Drive Etobicoke, ON M9W 5T6
 Call Toll Free: 1-800-837-8961 Local: 416-798-1340
 Fax: 416-798-1342 Email: sales@rfoil.com
 Visit our Website: www.rfoil.com



Published: November 15, 2013

MATERIAL SAFETY DATA SHEET





MATERIAL SAFETY DATA SHEET

rFOIL™ POLY - REFLECTIVE INSULATION (DOUBLE LAYER)

JUNE 2013

SECTION 1: PRODUCT IDENTIFICATION

NAME: rFOIL POLY
 DESCRIPTION: REFLECTIVE INSULATION (REFLECTIVE-POLY)
 MANUFACTURER: COVERTECH FABRICATING INC.
 ADDRESS: 279 HUMBERLINE DRIVE
 ETOBICOKE, ONTARIO, CANADA
 M9W 5T6
 TELEPHONE: 800-837-8961
 FAX: 416-798-1342

SECTION 2: HAZARDOUS INGREDIENTS

THESE PRODUCTS ARE NOT CONSIDERED TO BE HAZARDOUS, AND ARE NOT CLASSIFIED AS 'CONTROLLED PRODUCTS'. THEY ARE COMPRISED PRINCIPALLY OF POLYETHYLENE AND METALIZED ALUMINUM THAT ARE NON HAZARDOUS.

SECTION 3: PHYSICAL DATA

BOILING POINT: NOT APPLICABLE
 TEMPERATURE RANGE: -50°F TO 180°F
 WATER VAPOUR PERM: < 0.01 PERMS
 APPEARANCE: FLEXIBLE SHEET
 ODOUR: NONE



SECTION 4: FIRE & EXPLOSION DATA

FLAME SPREAD: 0 (ASTM E84-09)
 SMOKE DEVELOPMENT: 15 (ASTM E84-09)
 EXTINGUISHING MEDIA: CO2, DRY CHEMICAL, WATER OR FOAM
 USUAL FIRE HAZARDS: BARRIER FOIL MATERIALS ARE NOT HIGHLY FLAMMABLE, BUT IN CONTACT WITH FLAME THEY WILL MELT AND BURN.

SECTION 5: REACTIVITY DATA

STABILITY: PRODUCTS ARE STABLE AND INERT TO MOST CHEMICALS.
 NONE CAUSE A VIOLENT REACTION.
 INCOMPATIBILITY: CONSULT WITH MANUFACTURER PRIOR TO USING AS A CONTAINMENT OR BARRIER FOR CHEMICALS OTHER THAN WATER.

SECTION 6: HEALTH HAZARD DATA

INHALATION: NONE
 EYES & SKIN: NONE
 INGESTION: PRODUCTS SHOULD NOT BE EATEN OR KEPT IN CONTACT WITH FOOD

SECTION 7: SPECIAL PRECAUTION & HANDLING INFORMATION

GENERALLY THE PRODUCTS REQUIRE NO SPECIAL PRECAUTIONS WHEN HANDLING. HOWEVER THE PRODUCTS MAY BECOME SLIPPERY WHEN WET, AND CARE SHOULD BE TAKEN WHEN WALKING ON THIS.

SECTION 8: FIRST AID MEASURES


NOT APPLICABLE

NOTE: THE INFORMATION CONTAINED IN THIS SHEET IS DISCLOSED IN GOOD FAITH AND IS PROVIDED TO THE BEST KNOWLEDGE OF THE MANUFACTURER. NEVERTHELESS IT IS NOT A WARRANTY AND COVERTECH FABRICATING INC. ASSUMES NO RESPONSIBILITY FOR DAMAGES INCURRED FROM THE USE OR INABILITY TO USE THE PRODUCT

HAZARD DATA



279 Humberline Drive Etobicoke, ON M9W 5T6
 Call Toll Free: 1-800-837-8961 Local: 416-798-1340
 Fax: 416-798-1342 Email: sales@rfoil.com
 Visit our Website: www.rfoil.com



Published: November 15, 2013



MATERIAL SAFETY DATA SHEET

rFOIL™ POLY - REFLECTIVE INSULATION (SINGLE LAYER)

JUNE 2013

SECTION 1: PRODUCT IDENTIFICATION

NAME: rFOIL POLY
DESCRIPTION: REFLECTIVE INSULATION (REFLECTIVE-POLY)
MANUFACTURER: COVERTECH FABRICATING INC.
ADDRESS: 279 HUMBERLINE DRIVE
ETOBICOKE, ONTARIO, CANADA
M9W 5T6
TELEPHONE: 800-837-8961
FAX: 416-798-1342

SECTION 2: HAZARDOUS INGREDIENTS

THESE PRODUCTS ARE NOT CONSIDERED TO BE HAZARDOUS, AND ARE NOT CLASSIFIED AS 'CONTROLLED PRODUCTS'. THEY ARE COMPRISED PRINCIPALLY OF POLYETHYLENE AND METALIZED ALUMINUM THAT ARE NON HAZARDOUS.

SECTION 3: PHYSICAL DATA

BOILING POINT: NOT APPLICABLE
TEMPERATURE RANGE: -50°F TO 180°F
WATER VAPOUR PERM: < 0.01 PERMS
APPEARANCE: FLEXIBLE SHEET
ODOUR: NONE



SECTION 4: FIRE & EXPLOSION DATA

FLAME SPREAD: 0 (ASTM E84-09)
SMOKE DEVELOPMENT: 20 (ASTM E84-09)
EXTINGUISHING MEDIA: CO2, DRY CHEMICAL, WATER OR FOAM
USUAL FIRE HAZARDS: BARRIER FOIL MATERIALS ARE NOT HIGHLY FLAMMABLE, BUT IN CONTACT WITH FLAME THEY WILL MELT AND BURN.

SECTION 5: REACTIVITY DATA

STABILITY: PRODUCTS ARE STABLE AND INERT TO MOST CHEMICALS.
NONE CAUSE A VIOLENT REACTION.
INCOMPATIBILITY: CONSULT WITH MANUFACTURER PRIOR TO USING AS A CONTAINMENT OR BARRIER FOR CHEMICALS OTHER THAN WATER.

SECTION 6: HEALTH HAZARD DATA

INHALATION: NONE
EYES & SKIN: NONE
INGESTION: PRODUCTS SHOULD NOT BE EATEN OR KEPT IN CONTACT WITH FOOD

SECTION 7: SPECIAL PRECAUTION & HANDLING INFORMATION

GENERALLY THE PRODUCTS REQUIRE NO SPECIAL PRECAUTIONS WHEN HANDLING. HOWEVER THE PRODUCTS MAY BECOME SLIPPERY WHEN WET, AND CARE SHOULD BE TAKEN WHEN WALKING ON THIS.

SECTION 8: FIRST AID MEASURES


NOT APPLICABLE

NOTE: THE INFORMATION CONTAINED IN THIS SHEET IS DISCLOSED IN GOOD FAITH AND IS PROVIDED TO THE BEST KNOWLEDGE OF THE MANUFACTURER. NEVERTHELESS IT IS NOT A WARRANTY AND COVERTECH FABRICATING INC. ASSUMES NO RESPONSIBILITY FOR DAMAGES INCURRED FROM THE USE OR INABILITY TO USE THE PRODUCT



279 Humberline Drive Etobicoke, ON M9W 5T6
Call Toll Free: 1-800-837-8961 Local: 416-798-1340
Fax: 416-798-1342 Email: sales@rfoil.com
Visit our Website: www.rfoil.com

Published: November 15, 2013





MATERIAL SAFETY DATA SHEET

ULTRA MBI - WHITE METAL BUILDING INSULATION
(DOUBLE LAYER)

JUNE 2013

SECTION 1: PRODUCT IDENTIFICATION

NAME: rFOIL POLY
DESCRIPTION: REFLECTIVE INSULATION (REFLECTIVE-POLY)
MANUFACTURER: COVERTECH FABRICATING INC.
ADDRESS: 279 HUMBERLINE DRIVE
ETOBICOKE, ONTARIO, CANADA
M9W 5T6
TELEPHONE: 800-837-8961
FAX: 416-798-1342

SECTION 2: HAZARDOUS INGREDIENTS

THESE PRODUCTS ARE NOT CONSIDERED TO BE HAZARDOUS, AND ARE NOT CLASSIFIED AS 'CONTROLLED PRODUCTS'. THEY ARE COMPRISED PRINCIPALLY OF POLYETHYLENE AND METALIZED ALUMINUM THAT ARE NON HAZARDOUS.

SECTION 3: PHYSICAL DATA

BOILING POINT: NOT APPLICABLE
TEMPERATURE RANGE: -50°F TO 180°F
WATER VAPOUR PERM: < 0.01 PERMS
APPEARANCE: FLEXIBLE SHEET
ODOUR: NONE



SECTION 4: FIRE & EXPLOSION DATA

FLAME SPREAD: 0 (ASTM E84-09)
SMOKE DEVELOPMENT: 15 (ASTM E84-09)
EXTINGUISHING MEDIA: CO2, DRY CHEMICAL, WATER OR FOAM
USUAL FIRE HAZARDS: BARRIER FOIL MATERIALS ARE NOT HIGHLY FLAMMABLE, BUT IN CONTACT WITH FLAME THEY WILL MELT AND BURN.

SECTION 5: REACTIVITY DATA

STABILITY: PRODUCTS ARE STABLE AND INERT TO MOST CHEMICALS.
NONE CAUSE A VIOLENT REACTION.
INCOMPATIBILITY: CONSULT WITH MANUFACTURER PRIOR TO USING AS A CONTAINMENT OR BARRIER FOR CHEMICALS OTHER THAN WATER.

SECTION 6: HEALTH HAZARD DATA

INHALATION: NONE
EYES & SKIN: NONE
INGESTION: PRODUCTS SHOULD NOT BE EATEN OR KEPT IN CONTACT WITH FOOD

SECTION 7: SPECIAL PRECAUTION & HANDLING INFORMATION

GENERALLY THE PRODUCTS REQUIRE NO SPECIAL PRECAUTIONS WHEN HANDLING. HOWEVER THE PRODUCTS MAY BECOME SLIPPERY WHEN WET, AND CARE SHOULD BE TAKEN WHEN WALKING ON THIS.


SECTION 8: FIRST AID MEASURES

NOT APPLICABLE

NOTE: THE INFORMATION CONTAINED IN THIS SHEET IS DISCLOSED IN GOOD FAITH AND IS PROVIDED TO THE BEST KNOWLEDGE OF THE MANUFACTURER. NEVERTHELESS IT IS NOT A WARRANTY AND COVERTECH FABRICATING INC. ASSUMES NO RESPONSIBILITY FOR DAMAGES INCURRED FROM THE USE OR INABILITY TO USE THE PRODUCT



279 Humberline Drive Etobicoke, ON M9W 5T6
Call Toll Free: 1-800-837-8961 Local: 416-798-1340
Fax: 416-798-1342 Email: sales@rfoil.com
Visit our Website: www.rfoil.com



Published: November 15, 2013



MATERIAL SAFETY DATA SHEET

ULTRA MBI - WHITE METAL BUILDING INSULATION (SINGLE LAYER)

JUNE 2013

SECTION 1: PRODUCT IDENTIFICATION

NAME: rFOIL POLY
 DESCRIPTION: REFLECTIVE INSULATION (REFLECTIVE-POLY)
 MANUFACTURER: COVERTECH FABRICATING INC.
 ADDRESS: 279 HUMBERLINE DRIVE
 ETOBICOKE, ONTARIO, CANADA
 M9W 5T6
 TELEPHONE: 800-837-8961
 FAX: 416-798-1342

SECTION 2: HAZARDOUS INGREDIENTS

THESE PRODUCTS ARE NOT CONSIDERED TO BE HAZARDOUS, AND ARE NOT CLASSIFIED AS 'CONTROLLED PRODUCTS'. THEY ARE COMPRISED PRINCIPALLY OF POLYETHYLENE AND METALIZED ALUMINUM THAT ARE NON HAZARDOUS.

SECTION 3: PHYSICAL DATA

BOILING POINT: NOT APPLICABLE
 TEMPERATURE RANGE: -50°F TO 180°F
 WATER VAPOUR PERM: < 0.01 PERMS
 APPEARANCE: FLEXIBLE SHEET
 ODOUR: NONE



SECTION 4: FIRE & EXPLOSION DATA

FLAME SPREAD: 0 (ASTM E84-09)
 SMOKE DEVELOPMENT: 15 (ASTM E84-09)
 EXTINGUISHING MEDIA: CO2, DRY CHEMICAL, WATER OR FOAM
 USUAL FIRE HAZARDS: BARRIER FOIL MATERIALS ARE NOT HIGHLY FLAMMABLE, BUT IN CONTACT WITH FLAME THEY WILL MELT AND BURN.

SECTION 5: REACTIVITY DATA

STABILITY: PRODUCTS ARE STABLE AND INERT TO MOST CHEMICALS. NONE CAUSE A VIOLENT REACTION.
 INCOMPATIBILITY: CONSULT WITH MANUFACTURER PRIOR TO USING AS A CONTAINMENT OR BARRIER FOR CHEMICALS OTHER THAN WATER.

SECTION 6: HEALTH HAZARD DATA

INHALATION: NONE
 EYES & SKIN: NONE
 INGESTION: PRODUCTS SHOULD NOT BE EATEN OR KEPT IN CONTACT WITH FOOD

SECTION 7: SPECIAL PRECAUTION & HANDLING INFORMATION


GENERALLY THE PRODUCTS REQUIRE NO SPECIAL PRECAUTIONS WHEN HANDLING. HOWEVER THE PRODUCTS MAY BECOME SLIPPERY WHEN WET, AND CARE SHOULD BE TAKEN WHEN WALKING ON THIS.

SECTION 8: FIRST AID MEASURES

NOT APPLICABLE

NOTE: THE INFORMATION CONTAINED IN THIS SHEET IS DISCLOSED IN GOOD FAITH AND IS PROVIDED TO THE BEST KNOWLEDGE OF THE MANUFACTURER. NEVERTHELESS IT IS NOT A WARRANTY AND COVERTECH FABRICATING INC. ASSUMES NO RESPONSIBILITY FOR DAMAGES INCURRED FROM THE USE OR INABILITY TO USE THE PRODUCT

279 Humberline Drive Etobicoke, ON M9W 5T6
 Call Toll Free: 1-800-837-8961 Local: 416-798-1340
 Fax: 416-798-1342 Email: sales@rfoil.com
 Visit our Website: www.rfoil.com



Published: November 15, 2013

HAZARDOUS INFORMATION





MATERIAL SAFETY DATA SHEET

rFOIL™ BETWEEN JOIST INSULATION

JUNE 2013

SECTION 1: PRODUCT IDENTIFICATION

NAME: rFOIL BETWEEN JOIST INSULATION
 DESCRIPTION: REFLECTIVE INSULATION
 MANUFACTURER: COVERTECH FABRICATING INC.
 ADDRESS: 279 HUMBERLINE DRIVE
 ETOBICOKE, ONTARIO, CANADA
 M9W 5T6
 TELEPHONE: 800-837-8961
 FAX: 416-798-1342

SECTION 2: HAZARDOUS INGREDIENTS

THESE PRODUCTS ARE NOT CONSIDERED TO BE HAZARDOUS, AND ARE NOT CLASSIFIED AS 'CONTROLLED PRODUCTS'. THEY ARE COMPRISED PRINCIPALLY OF POLYETHYLENE AND METALIZED ALUMINUM THAT ARE NON HAZARDOUS.

SECTION 3: PHYSICAL DATA

BOILING POINT: NOT APPLICABLE
 TEMPERATURE RANGE: -50°F TO 180°F
 WATER VAPOUR PERM: < 0.01 PERMS
 APPEARANCE: FLEXIBLE SHEET
 ODOUR: NONE



SECTION 4: FIRE & EXPLOSION DATA

FLAME SPREAD: 0 (ASTM E84-09)
 SMOKE DEVELOPMENT: 20 (ASTM E84-09)
 EXTINGUISHING MEDIA: CO2, DRY CHEMICAL, WATER OR FOAM
 USUAL FIRE HAZARDS: BARRIER FOIL MATERIALS ARE NOT HIGHLY FLAMMABLE, BUT IN CONTACT WITH FLAME THEY WILL MELT AND BURN.

SECTION 5: REACTIVITY DATA

STABILITY: PRODUCTS ARE STABLE AND INERT TO MOST CHEMICALS. NONE CAUSE A VIOLENT REACTION.
 INCOMPATIBILITY: CONSULT WITH MANUFACTURER PRIOR TO USING AS A CONTAINMENT OR BARRIER FOR CHEMICALS OTHER THAN WATER.

SECTION 6: HEALTH HAZARD DATA

INHALATION: NONE
 EYES & SKIN: NONE
 INGESTION: PRODUCTS SHOULD NOT BE EATEN OR KEPT IN CONTACT WITH FOOD

SECTION 7: SPECIAL PRECAUTION & HANDLING INFORMATION


GENERALLY THE PRODUCTS REQUIRE NO SPECIAL PRECAUTIONS WHEN HANDLING. HOWEVER THE PRODUCTS MAY BECOME SLIPPERY WHEN WET, AND CARE SHOULD BE TAKEN WHEN WALKING ON THIS.

SECTION 8: FIRST AID MEASURES

NOT APPLICABLE


NOTE: THE INFORMATION CONTAINED IN THIS SHEET IS DISCLOSED IN GOOD FAITH AND IS PROVIDED TO THE BEST KNOWLEDGE OF THE MANUFACTURER. NEVERTHELESS IT IS NOT A WARRANTY AND COVERTECH FABRICATING INC. ASSUMES NO RESPONSIBILITY FOR DAMAGES INCURRED FROM THE USE OR INABILITY TO USE THE PRODUCT

279 Humberline Drive Etobicoke, ON M9W 5T6
 Call Toll Free: 1-800-837-8961 Local: 416-798-1340
 Fax: 416-798-1342 Email: sales@rfoil.com
 Visit our Website: www.rfoil.com



Published: November 15, 2013

PHYSICAL DATA





MATERIAL SAFETY DATA SHEET

rFOIL™ REFLECTIVE DUCT INSULATION

JUNE 2013

SECTION 1: PRODUCT IDENTIFICATION

NAME: rFOIL DUCT INSULATION
 DESCRIPTION: REFLECTIVE-DOUBLE BUBBLE-REFLECTIVE INSULATION
 MANUFACTURER: COVERTECH FABRICATING INC.
 ADDRESS: 279 HUMBERLINE DRIVE
 ETOBICOKE, ONTARIO, CANADA
 M9W 5T6
 TELEPHONE: 800-837-8961
 FAX: 416-798-1342

SECTION 2: HAZARDOUS INGREDIENTS

THESE PRODUCTS ARE NOT CONSIDERED TO BE HAZARDOUS, AND ARE NOT CLASSIFIED AS 'CONTROLLED PRODUCTS'. THEY ARE COMPRISED PRINCIPALLY OF POLYETHYLENE AND METALIZED ALUMINUM THAT ARE NON HAZARDOUS.

SECTION 3: PHYSICAL DATA

BOILING POINT: NOT APPLICABLE
 TEMPERATURE RANGE: -50°F TO 180°F
 WATER VAPOUR PERM: < 0.01 PERMS
 APPEARANCE: FLEXIBLE SHEET
 ODOUR: NONE



SECTION 4: FIRE & EXPLOSION DATA

FLAME SPREAD: 0 (ASTM E84-09) / 0 (CAN/ULC-S102-10)
 SMOKE DEVELOPMENT: 20 (ASTM E84-09) / 10 (CAN/ULC-S102-10)
 EXTINGUISHING MEDIA: CO2, DRY CHEMICAL, WATER OR FOAM
 USUAL FIRE HAZARDS: BARRIER FOIL MATERIALS ARE NOT HIGHLY FLAMMABLE, BUT IN CONTACT WITH FLAME THEY WILL MELT AND BURN.

SECTION 5: REACTIVITY DATA

STABILITY: PRODUCTS ARE STABLE AND INERT TO MOST CHEMICALS. NONE CAUSE A VIOLENT REACTION.
 INCOMPATIBILITY: CONSULT WITH MANUFACTURER PRIOR TO USING AS A CONTAINMENT OR BARRIER FOR CHEMICALS OTHER THAN WATER.

SECTION 6: HEALTH HAZARD DATA

INHALATION: NONE
 EYES & SKIN: NONE
 INGESTION: PRODUCTS SHOULD NOT BE EATEN OR KEPT IN CONTACT WITH FOOD

SECTION 7: SPECIAL PRECAUTION & HANDLING INFORMATION


GENERALLY THE PRODUCTS REQUIRE NO SPECIAL PRECAUTIONS WHEN HANDLING. HOWEVER THE PRODUCTS MAY BECOME SLIPPERY WHEN WET, AND CARE SHOULD BE TAKEN WHEN WALKING ON THIS.

SECTION 8: FIRST AID MEASURES

NOT APPLICABLE

NOTE: THE INFORMATION CONTAINED IN THIS SHEET IS DISCLOSED IN GOOD FAITH AND IS PROVIDED TO THE BEST KNOWLEDGE OF THE MANUFACTURER. NEVERTHELESS IT IS NOT A WARRANTY AND COVERTECH FABRICATING INC. ASSUMES NO RESPONSIBILITY FOR DAMAGES INCURRED FROM THE USE OR INABILITY TO USE THE PRODUCT

279 Humberline Drive Etobicoke, ON M9W 5T6
 Call Toll Free: 1-800-837-8961 Local: 416-798-1340
 Fax: 416-798-1342 Email: sales@rfoil.com
 Visit our Website: www.rfoil.com



Published: November 15, 2013





MATERIAL SAFETY DATA SHEET

rFOIL™ REFLECTIVE DUCT INSULATION (OUTDOOR)

JUNE 2013

SECTION 1: PRODUCT IDENTIFICATION

NAME: rFOIL DUCT INSULATION
DESCRIPTION: REFLECTIVE-DOUBLE BUBBLE-REFLECTIVE INSULATION
MANUFACTURER: COVERTECH FABRICATING INC.
ADDRESS: 279 HUMBERLINE DRIVE
ETOBICOKE, ONTARIO, CANADA
M9W 5T6
TELEPHONE: 800-837-8961
FAX: 416-798-1342

SECTION 2: HAZARDOUS INGREDIENTS

THESE PRODUCTS ARE NOT CONSIDERED TO BE HAZARDOUS, AND ARE NOT CLASSIFIED AS 'CONTROLLED PRODUCTS'. THEY ARE COMPRISED PRINCIPALLY OF POLYETHYLENE AND METALIZED ALUMINUM THAT ARE NON HAZARDOUS.

SECTION 3: PHYSICAL DATA

BOILING POINT: NOT APPLICABLE
TEMPERATURE RANGE: -50°F TO 180°F
WATER VAPOUR PERM: < 0.01 PERMS
APPEARANCE: FLEXIBLE SHEET
ODOUR: NONE



SECTION 4: FIRE & EXPLOSION DATA

FLAME SPREAD: 0 (ASTM E84-09)
SMOKE DEVELOPMENT: 20 (ASTM E84-09)
EXTINGUISHING MEDIA: CO2, DRY CHEMICAL, WATER OR FOAM
USUAL FIRE HAZARDS: BARRIER FOIL MATERIALS ARE NOT HIGHLY FLAMMABLE, BUT IN CONTACT WITH FLAME THEY WILL MELT AND BURN.

SECTION 5: REACTIVITY DATA

STABILITY: PRODUCTS ARE STABLE AND INERT TO MOST CHEMICALS.
NONE CAUSE A VIOLENT REACTION.
INCOMPATIBILITY: CONSULT WITH MANUFACTURER PRIOR TO USING AS A CONTAINMENT OR BARRIER FOR CHEMICALS OTHER THAN WATER.

SECTION 6: HEALTH HAZARD DATA

INHALATION: NONE
EYES & SKIN: NONE
INGESTION: PRODUCTS SHOULD NOT BE EATEN OR KEPT IN CONTACT WITH FOOD


SECTION 7: SPECIAL PRECAUTION & HANDLING INFORMATION

GENERALLY THE PRODUCTS REQUIRE NO SPECIAL PRECAUTIONS WHEN HANDLING. HOWEVER THE PRODUCTS MAY BECOME SLIPPERY WHEN WET, AND CARE SHOULD BE TAKEN WHEN WALKING ON THIS.


SECTION 8: FIRST AID MEASURES

NOT APPLICABLE

NOTE: THE INFORMATION CONTAINED IN THIS SHEET IS DISCLOSED IN GOOD FAITH AND IS PROVIDED TO THE BEST KNOWLEDGE OF THE MANUFACTURER. NEVERTHELESS IT IS NOT A WARRANTY AND COVERTECH FABRICATING INC. ASSUMES NO RESPONSIBILITY FOR DAMAGES INCURRED FROM THE USE OR INABILITY TO USE THE PRODUCT



279 Humberline Drive Etobicoke, ON M9W 5T6
Call Toll Free: 1-800-837-8961 Local: 416-798-1340
Fax: 416-798-1342 Email: sales@rfoil.com
Visit our Website: www.rfoil.com



Published: November 15, 2013



MATERIAL SAFETY DATA SHEET

rFOIL™ BIG-8 REFLECTIVE DUCT INSULATION

JUNE 2013

SECTION 1: PRODUCT IDENTIFICATION

NAME: rFOIL BIG-8 DUCT INSULATION
 DESCRIPTION: REFLECTIVE DUCT INSULATION R-8
 MANUFACTURER: COVERTECH FABRICATING INC.
 ADDRESS: 279 HUMBERLINE DRIVE
 ETOBICOKE, ONTARIO, CANADA
 M9W 5T6
 TELEPHONE: 800-837-8961
 FAX: 416-798-1342

SECTION 2: HAZARDOUS INGREDIENTS

THESE PRODUCTS ARE NOT CONSIDERED TO BE HAZARDOUS, AND ARE NOT CLASSIFIED AS 'CONTROLLED PRODUCTS'. THEY ARE COMPRISED PRINCIPALLY OF POLYETHYLENE AND METALIZED ALUMINUM THAT ARE NON HAZARDOUS.

SECTION 3: PHYSICAL DATA

BOILING POINT: NOT APPLICABLE
 TEMPERATURE RANGE: -50°F TO 180°F
 WATER VAPOUR PERM: < 0.029 PERMS
 APPEARANCE: FLEXIBLE SHEET
 ODOUR: NONE

(ICC-ES Evaluation Report ESR-1236)



SECTION 4: FIRE & EXPLOSION DATA

FLAME SPREAD: 0 (ASTM E84-09)
 SMOKE DEVELOPMENT: 50 (ASTM E84-09)
 EXTINGUISHING MEDIA: CO2, DRY CHEMICAL, WATER OR FOAM
 USUAL FIRE HAZARDS: BARRIER FOIL MATERIALS ARE NOT HIGHLY FLAMMABLE, BUT IN CONTACT WITH FLAME THEY WILL MELT AND BURN.

SECTION 5: REACTIVITY DATA

STABILITY: PRODUCTS ARE STABLE AND INERT TO MOST CHEMICALS.
 NONE CAUSE A VIOLENT REACTION.
 INCOMPATIBILITY: CONSULT WITH MANUFACTURER PRIOR TO USING AS A CONTAINMENT OR BARRIER FOR CHEMICALS OTHER THAN WATER.

SECTION 6: HEALTH HAZARD DATA

INHALATION: NONE
 EYES & SKIN: NONE
 INGESTION: PRODUCTS SHOULD NOT BE EATEN OR KEPT IN CONTACT WITH FOOD

SECTION 7: SPECIAL PRECAUTION & HANDLING INFORMATION


GENERALLY THE PRODUCTS REQUIRE NO SPECIAL PRECAUTIONS WHEN HANDLING. HOWEVER THE PRODUCTS MAY BECOME SLIPPERY WHEN WET, AND CARE SHOULD BE TAKEN WHEN WALKING ON THIS.

SECTION 8: FIRST AID MEASURES

NOT APPLICABLE

NOTE: THE INFORMATION CONTAINED IN THIS SHEET IS DISCLOSED IN GOOD FAITH AND IS PROVIDED TO THE BEST KNOWLEDGE OF THE MANUFACTURER. NEVERTHELESS IT IS NOT A WARRANTY AND COVERTECH FABRICATING INC. ASSUMES NO RESPONSIBILITY FOR DAMAGES INCURRED FROM THE USE OR INABILITY TO USE THE PRODUCT

279 Humberline Drive Etobicoke, ON M9W 5T6
 Call Toll Free: 1-800-837-8961 Local: 416-798-1340
 Fax: 416-798-1342 Email: sales@rfoil.com
 Visit our Website: www.rfoil.com



Published: November 15, 2013





MATERIAL SAFETY DATA SHEET

rFOIL™ BIG-8 REFLECTIVE DUCT INSULATION (OUTDOOR)

JUNE 2013

SECTION 1: PRODUCT IDENTIFICATION

NAME: rFOIL BIG-8 DUCT INSULATION
 DESCRIPTION: REFLECTIVE DUCT INSULATION R-8
 MANUFACTURER: COVERTECH FABRICATING INC.
 ADDRESS: 279 HUMBERLINE DRIVE
 ETOBICOKE, ONTARIO, CANADA
 M9W 5T6
 TELEPHONE: 800-837-8961
 FAX: 416-798-1342

SECTION 2: HAZARDOUS INGREDIENTS

THESE PRODUCTS ARE NOT CONSIDERED TO BE HAZARDOUS, AND ARE NOT CLASSIFIED AS 'CONTROLLED PRODUCTS'. THEY ARE COMPRISED PRINCIPALLY OF POLYETHYLENE AND METALIZED ALUMINUM THAT ARE NON HAZARDOUS.

SECTION 3: PHYSICAL DATA

BOILING POINT: NOT APPLICABLE
 TEMPERATURE RANGE: -50°F TO 180°F
 WATER VAPOUR PERM: < 0.029 PERMS
 APPEARANCE: FLEXIBLE SHEET
 ODOUR: NONE

(ICC-ES Evaluation Report ESR-1236)



SECTION 4: FIRE & EXPLOSION DATA

FLAME SPREAD: 0 (ASTM E84-09)
 SMOKE DEVELOPMENT: 50 (ASTM E84-09)
 EXTINGUISHING MEDIA: CO2, DRY CHEMICAL, WATER OR FOAM
 USUAL FIRE HAZARDS: BARRIER FOIL MATERIALS ARE NOT HIGHLY FLAMMABLE, BUT IN CONTACT WITH FLAME THEY WILL MELT AND BURN.

SECTION 5: REACTIVITY DATA

STABILITY: PRODUCTS ARE STABLE AND INERT TO MOST CHEMICALS.
 NONE CAUSE A VIOLENT REACTION.
 INCOMPATIBILITY: CONSULT WITH MANUFACTURER PRIOR TO USING AS A CONTAINMENT OR BARRIER FOR CHEMICALS OTHER THAN WATER.

SECTION 6: HEALTH HAZARD DATA

INHALATION: NONE
 EYES & SKIN: NONE
 INGESTION: PRODUCTS SHOULD NOT BE EATEN OR KEPT IN CONTACT WITH FOOD

SECTION 7: SPECIAL PRECAUTION & HANDLING INFORMATION


GENERALLY THE PRODUCTS REQUIRE NO SPECIAL PRECAUTIONS WHEN HANDLING. HOWEVER THE PRODUCTS MAY BECOME SLIPPERY WHEN WET, AND CARE SHOULD BE TAKEN WHEN WALKING ON THIS.

SECTION 8: FIRST AID MEASURES

NOT APPLICABLE

NOTE: THE INFORMATION CONTAINED IN THIS SHEET IS DISCLOSED IN GOOD FAITH AND IS PROVIDED TO THE BEST KNOWLEDGE OF THE MANUFACTURER. NEVERTHELESS IT IS NOT A WARRANTY AND COVERTECH FABRICATING INC. ASSUMES NO RESPONSIBILITY FOR DAMAGES INCURRED FROM THE USE OR INABILITY TO USE THE PRODUCT

279 Humberline Drive Etobicoke, ON M9W 5T6
 Call Toll Free: 1-800-837-8961 Local: 416-798-1340
 Fax: 416-798-1342 Email: sales@rfoil.com
 Visit our Website: www.rfoil.com



Published: November 15, 2013

W
A
T
E
R
P
R
O
T
E
C
T
I
O
N





MATERIAL SAFETY DATA SHEET

rFOIL™ BIG-6 REFLECTIVE DUCT INSULATION

JUNE 2013

SECTION 1: PRODUCT IDENTIFICATION

NAME: rFOIL BIG-6 DUCT INSULATION
 DESCRIPTION: REFLECTIVE DUCT INSULATION R-8
 MANUFACTURER: COVERTECH FABRICATING INC.
 ADDRESS: 279 HUMBERLINE DRIVE
 ETOBICOKE, ONTARIO, CANADA
 M9W 5T6
 TELEPHONE: 800-837-8961
 FAX: 416-798-1342

SECTION 2: HAZARDOUS INGREDIENTS

THESE PRODUCTS ARE NOT CONSIDERED TO BE HAZARDOUS, AND ARE NOT CLASSIFIED AS 'CONTROLLED PRODUCTS'. THEY ARE COMPRISED PRINCIPALLY OF POLYETHYLENE AND METALIZED ALUMINUM THAT ARE NON HAZARDOUS.

SECTION 3: PHYSICAL DATA

BOILING POINT: NOT APPLICABLE
 TEMPERATURE RANGE: -50°F TO 180°F
 WATER VAPOUR PERM: < 0.029 PERMS
 APPEARANCE: FLEXIBLE SHEET
 ODOUR: NONE



SECTION 4: FIRE & EXPLOSION DATA

FLAME SPREAD: 0 (ASTM E84-09) / 0 (CAN/ULC-S102-10)
 SMOKE DEVELOPMENT: 20 (ASTM E84-09) / 10 (CAN/ULC-S102-10)
 EXTINGUISHING MEDIA: CO2, DRY CHEMICAL, WATER OR FOAM
 USUAL FIRE HAZARDS: BARRIER FOIL MATERIALS ARE NOT HIGHLY FLAMMABLE, BUT IN CONTACT WITH FLAME THEY WILL MELT AND BURN.

SECTION 5: REACTIVITY DATA

STABILITY: PRODUCTS ARE STABLE AND INERT TO MOST CHEMICALS.
 NONE CAUSE A VIOLENT REACTION.
 INCOMPATIBILITY: CONSULT WITH MANUFACTURER PRIOR TO USING AS A CONTAINMENT OR BARRIER FOR CHEMICALS OTHER THAN WATER.

SECTION 6: HEALTH HAZARD DATA

INHALATION: NONE
 EYES & SKIN: NONE
 INGESTION: PRODUCTS SHOULD NOT BE EATEN OR KEPT IN CONTACT WITH FOOD

SECTION 7: SPECIAL PRECAUTION & HANDLING INFORMATION

GENERALLY THE PRODUCTS REQUIRE NO SPECIAL PRECAUTIONS WHEN HANDLING. HOWEVER THE PRODUCTS MAY BECOME SLIPPERY WHEN WET, AND CARE SHOULD BE TAKEN WHEN WALKING ON THIS.


SECTION 8: FIRST AID MEASURES

NOT APPLICABLE

NOTE: THE INFORMATION CONTAINED IN THIS SHEET IS DISCLOSED IN GOOD FAITH AND IS PROVIDED TO THE BEST KNOWLEDGE OF THE MANUFACTURER. NEVERTHELESS IT IS NOT A WARRANTY AND COVERTECH FABRICATING INC. ASSUMES NO RESPONSIBILITY FOR DAMAGES INCURRED FROM THE USE OR INABILITY TO USE THE PRODUCT



279 Humberline Drive Etobicoke, ON M9W 5T6
 Call Toll Free: 1-800-837-8961 Local: 416-798-1340
 Fax: 416-798-1342 Email: sales@rfoil.com
 Visit our Website: www.rfoil.com



Published: November 15, 2013



MATERIAL SAFETY DATA SHEET

rFOIL™ BIG-6 REFLECTIVE DUCT INSULATION (OUTDOOR)

JUNE 2013

SECTION 1: PRODUCT IDENTIFICATION

NAME: rFOIL BIG-6 DUCT INSULATION
DESCRIPTION: REFLECTIVE DUCT INSULATION R-8
MANUFACTURER: COVERTECH FABRICATING INC.
ADDRESS: 279 HUMBERLINE DRIVE
ETOBICOKE, ONTARIO, CANADA
M9W 5T6
TELEPHONE: 800-837-8961
FAX: 416-798-1342

SECTION 2: HAZARDOUS INGREDIENTS

THESE PRODUCTS ARE NOT CONSIDERED TO BE HAZARDOUS, AND ARE NOT CLASSIFIED AS 'CONTROLLED PRODUCTS'. THEY ARE COMPRISED PRINCIPALLY OF POLYETHYLENE AND METALIZED ALUMINUM THAT ARE NON HAZARDOUS.

SECTION 3: PHYSICAL DATA

BOILING POINT: NOT APPLICABLE
TEMPERATURE RANGE: -50°F TO 180°F
WATER VAPOUR PERM: < 0.029 PERMS
APPEARANCE: FLEXIBLE SHEET
ODOUR: NONE



SECTION 4: FIRE & EXPLOSION DATA

FLAME SPREAD: 0 (ASTM E84-09)
SMOKE DEVELOPMENT: 20 (ASTM E84-09)
EXTINGUISHING MEDIA: CO2, DRY CHEMICAL, WATER OR FOAM
USUAL FIRE HAZARDS: BARRIER FOIL MATERIALS ARE NOT HIGHLY FLAMMABLE, BUT IN CONTACT WITH FLAME THEY WILL MELT AND BURN.

SECTION 5: REACTIVITY DATA

STABILITY: PRODUCTS ARE STABLE AND INERT TO MOST CHEMICALS.
NONE CAUSE A VIOLENT REACTION.
INCOMPATIBILITY: CONSULT WITH MANUFACTURER PRIOR TO USING AS A CONTAINMENT OR BARRIER FOR CHEMICALS OTHER THAN WATER.

SECTION 6: HEALTH HAZARD DATA

INHALATION: NONE
EYES & SKIN: NONE
INGESTION: PRODUCTS SHOULD NOT BE EATEN OR KEPT IN CONTACT WITH FOOD

SECTION 7: SPECIAL PRECAUTION & HANDLING INFORMATION

GENERALLY THE PRODUCTS REQUIRE NO SPECIAL PRECAUTIONS WHEN HANDLING. HOWEVER THE PRODUCTS MAY BECOME SLIPPERY WHEN WET, AND CARE SHOULD BE TAKEN WHEN WALKING ON THIS.

SECTION 8: FIRST AID MEASURES

NOT APPLICABLE

NOTE: THE INFORMATION CONTAINED IN THIS SHEET IS DISCLOSED IN GOOD FAITH AND IS PROVIDED TO THE BEST KNOWLEDGE OF THE MANUFACTURER. NEVERTHELESS IT IS NOT A WARRANTY AND COVERTECH FABRICATING INC. ASSUMES NO RESPONSIBILITY FOR DAMAGES INCURRED FROM THE USE OR INABILITY TO USE THE PRODUCT



279 Humberline Drive Etobicoke, ON M9W 5T6
Call Toll Free: 1-800-837-8961 Local: 416-798-1340
Fax: 416-798-1342 Email: sales@rfoil.com
Visit our Website: www.rfoil.com



Published: November 15, 2013



MATERIAL SAFETY DATA SHEET

rFLEX™ RADIANT VAPOR BARRIER (RVB)

JUNE 2013

SECTION 1: PRODUCT IDENTIFICATION

NAME: rFOIL REFLECTIVE VAPOR BARRIER (RVB)
DESCRIPTION: REFLECTIVE VAPOR BARRIER
MANUFACTURER: COVERTECH FABRICATING INC.
ADDRESS: 279 HUMBERLINE DRIVE
ETOBICOKE, ONTARIO, CANADA
M9W 5T6
TELEPHONE: 800-837-8961
FAX: 416-798-1342

SECTION 2: HAZARDOUS INGREDIENTS

THESE PRODUCTS ARE NOT CONSIDERED TO BE HAZARDOUS, AND ARE NOT CLASSIFIED AS 'CONTROLLED PRODUCTS'. THEY ARE COMPRISED PRINCIPALLY OF POLYETHYLENE AND METALIZED ALUMINUM THAT ARE NON HAZARDOUS.

SECTION 3: PHYSICAL DATA

BOILING POINT: NOT APPLICABLE
TEMPERATURE RANGE: -50°F TO 180°F
WATER VAPOUR PERM: < 0.01 PERMS
APPEARANCE: FLEXIBLE SHEET
ODOUR: NONE

SECTION 4: FIRE & EXPLOSION DATA

FLAME SPREAD: 10 (ASTM E84-94)
SMOKE DEVELOPMENT: 5 (ASTM E84-94)
EXTINGUISHING MEDIA: CO2, DRY CHEMICAL, WATER OR FOAM
USUAL FIRE HAZARDS: BARRIER FOIL MATERIALS ARE NOT HIGHLY FLAMMABLE, BUT IN CONTACT WITH FLAME THEY WILL MELT AND BURN.

SECTION 5: REACTIVITY DATA

STABILITY: PRODUCTS ARE STABLE AND INERT TO MOST CHEMICALS.
NONE CAUSE A VIOLENT REACTION.
INCOMPATIBILITY: CONSULT WITH MANUFACTURER PRIOR TO USING AS A CONTAINMENT OR BARRIER FOR CHEMICALS OTHER THAN WATER.

SECTION 6: HEALTH HAZARD DATA

INHALATION: NONE
EYES & SKIN: NONE
INGESTION: PRODUCTS SHOULD NOT BE EATEN OR KEPT IN CONTACT WITH FOOD

SECTION 7: SPECIAL PRECAUTION & HANDLING INFORMATION

GENERALLY THE PRODUCTS REQUIRE NO SPECIAL PRECAUTIONS WHEN HANDLING. HOWEVER THE PRODUCTS MAY BECOME SLIPPERY WHEN WET, AND CARE SHOULD BE TAKEN WHEN WALKING ON THIS.

SECTION 8: FIRST AID MEASURES

NOT APPLICABLE

NOTE: THE INFORMATION CONTAINED IN THIS SHEET IS DISCLOSED IN GOOD FAITH AND IS PROVIDED TO THE BEST KNOWLEDGE OF THE MANUFACTURER. NEVERTHELESS IT IS NOT A WARRANTY AND COVERTECH FABRICATING INC. ASSUMES NO RESPONSIBILITY FOR DAMAGES INCURRED FROM THE USE OR INABILITY TO USE THE PRODUCT

279 Humberline Drive Etobicoke, ON M9W 5T6
Call Toll Free: 1-800-837-8961 Local: 416-798-1340
Fax: 416-798-1342 Email: sales@rfoil.com
Visit our Website: www.rfoil.com



Published: November 15, 2013

MATERIAL SAFETY DATA SHEET





MATERIAL SAFETY DATA SHEET

rFLEX™ RADIANT VAPOR BARRIER (RVB)
(HOUSE WRAP)

JUNE 2013

SECTION 1: PRODUCT IDENTIFICATION

NAME: rFOIL REFLECTIVE HOUSE WRAP
DESCRIPTION: RADIANT BARRIER HOUSE WRAP
MANUFACTURER: COVERTECH FABRICATING INC.
ADDRESS: 279 HUMBERLINE DRIVE
ETOBICOKE, ONTARIO, CANADA
M9W 5T6
TELEPHONE: 800-837-8961
FAX: 416-798-1342

SECTION 2: HAZARDOUS INGREDIENTS

THESE PRODUCTS ARE NOT CONSIDERED TO BE HAZARDOUS, AND ARE NOT CLASSIFIED AS 'CONTROLLED PRODUCTS'. THEY ARE COMPRISED PRINCIPALLY OF POLYETHYLENE AND METALIZED ALUMINUM THAT ARE NON HAZARDOUS.

SECTION 3: PHYSICAL DATA

BOILING POINT: NOT APPLICABLE
TEMPERATURE RANGE: -50°F TO 180°F
WATER VAPOUR PERM: 22 PERMS
APPEARANCE: FLEXIBLE SHEET
ODOUR: NONE

SECTION 4: FIRE & EXPLOSION DATA

FLAME SPREAD: 10 (ASTM E84-09)
SMOKE DEVELOPMENT: 5 (ASTM E84-09)
EXTINGUISHING MEDIA: CO2, DRY CHEMICAL, WATER OR FOAM
USUAL FIRE HAZARDS: BARRIER FOIL MATERIALS ARE NOT HIGHLY FLAMMABLE, BUT IN CONTACT WITH FLAME THEY WILL MELT AND BURN.

SECTION 5: REACTIVITY DATA

STABILITY: PRODUCTS ARE STABLE AND INERT TO MOST CHEMICALS.
NONE CAUSE A VIOLENT REACTION.
INCOMPATIBILITY: CONSULT WITH MANUFACTURER PRIOR TO USING AS A CONTAINMENT OR BARRIER FOR CHEMICALS OTHER THAN WATER.

SECTION 6: HEALTH HAZARD DATA

INHALATION: NONE
EYES & SKIN: NONE
INGESTION: PRODUCTS SHOULD NOT BE EATEN OR KEPT IN CONTACT WITH FOOD

SECTION 7: SPECIAL PRECAUTION & HANDLING INFORMATION


GENERALLY THE PRODUCTS REQUIRE NO SPECIAL PRECAUTIONS WHEN HANDLING. HOWEVER THE PRODUCTS MAY BECOME SLIPPERY WHEN WET, AND CARE SHOULD BE TAKEN WHEN WALKING ON THIS.

SECTION 8: FIRST AID MEASURES

NOT APPLICABLE

NOTE: THE INFORMATION CONTAINED IN THIS SHEET IS DISCLOSED IN GOOD FAITH AND IS PROVIDED TO THE BEST KNOWLEDGE OF THE MANUFACTURER. NEVERTHELESS IT IS NOT A WARRANTY AND COVERTECH FABRICATING INC. ASSUMES NO RESPONSIBILITY FOR DAMAGES INCURRED FROM THE USE OR INABILITY TO USE THE PRODUCT

279 Humberline Drive Etobicoke, ON M9W 5T6
Call Toll Free: 1-800-837-8961 Local: 416-798-1340
Fax: 416-798-1342 Email: sales@rfoil.com
Visit our Website: www.rfoil.com



Published: November 15, 2013





MATERIAL SAFETY DATA SHEET

rFOIL™ NT RADIANT BARRIER

JUNE 2013

SECTION 1: PRODUCT IDENTIFICATION

NAME: rFOIL NT RADIANT BARRIER
DESCRIPTION: SOLID NON-PERFORATED RADIANT BARRIER
MANUFACTURER: COVERTECH FABRICATING INC.
ADDRESS: 279 HUMBERLINE DRIVE
ETOBICOKE, ONTARIO, CANADA
M9W 5T6
TELEPHONE: 800-837-8961
FAX: 416-798-1342

SECTION 2: HAZARDOUS INGREDIENTS

THESE PRODUCTS ARE NOT CONSIDERED TO BE HAZARDOUS, AND ARE NOT CLASSIFIED AS 'CONTROLLED PRODUCTS'. THEY ARE COMPRISED PRINCIPALLY OF POLYETHYLENE AND METALIZED ALUMINUM THAT ARE NON HAZARDOUS.

SECTION 3: PHYSICAL DATA

BOILING POINT: NOT APPLICABLE
TEMPERATURE RANGE: -50°F TO 180°F
WATER VAPOUR PERM: 22 PERMS
APPEARANCE: FLEXIBLE SHEET
ODOUR: NONE



SECTION 4: FIRE & EXPLOSION DATA

FLAME SPREAD: 0 (ASTM E84-09)
SMOKE DEVELOPMENT: 20 (ASTM E84-09)
EXTINGUISHING MEDIA: CO2, DRY CHEMICAL, WATER OR FOAM
USUAL FIRE HAZARDS: BARRIER FOIL MATERIALS ARE NOT HIGHLY FLAMMABLE, BUT IN CONTACT WITH FLAME THEY WILL MELT AND BURN.

SECTION 5: REACTIVITY DATA

STABILITY: PRODUCTS ARE STABLE AND INERT TO MOST CHEMICALS.
NONE CAUSE A VIOLENT REACTION.
INCOMPATIBILITY: CONSULT WITH MANUFACTURER PRIOR TO USING AS A CONTAINMENT OR BARRIER FOR CHEMICALS OTHER THAN WATER.

SECTION 6: HEALTH HAZARD DATA

INHALATION: NONE
EYES & SKIN: NONE
INGESTION: PRODUCTS SHOULD NOT BE EATEN OR KEPT IN CONTACT WITH FOOD

SECTION 7: SPECIAL PRECAUTION & HANDLING INFORMATION

GENERALLY THE PRODUCTS REQUIRE NO SPECIAL PRECAUTIONS WHEN HANDLING. HOWEVER THE PRODUCTS MAY BECOME SLIPPERY WHEN WET, AND CARE SHOULD BE TAKEN WHEN WALKING ON THIS.

SECTION 8: FIRST AID MEASURES

NOT APPLICABLE

NOTE: THE INFORMATION CONTAINED IN THIS SHEET IS DISCLOSED IN GOOD FAITH AND IS PROVIDED TO THE BEST KNOWLEDGE OF THE MANUFACTURER. NEVERTHELESS IT IS NOT A WARRANTY AND COVERTECH FABRICATING INC. ASSUMES NO RESPONSIBILITY FOR DAMAGES INCURRED FROM THE USE OR INABILITY TO USE THE PRODUCT



279 Humberline Drive Etobicoke, ON M9W 5T6
Call Toll Free: 1-800-837-8961 Local: 416-798-1340
Fax: 416-798-1342 Email: sales@rfoil.com
Visit our Website: www.rfoil.com



Published: November 15, 2013



MATERIAL SAFETY DATA SHEET

rFOIL™ NT RADIANT BARRIER (FOR ATTICS)

JUNE 2013

SECTION 1: PRODUCT IDENTIFICATION

NAME: rFOIL NT RADIANT BARRIER for ATTICS
 DESCRIPTION: PERFORATED RADIANT BARRIER
 MANUFACTURER: COVERTECH FABRICATING INC.
 ADDRESS: 279 HUMBERLINE DRIVE
 ETOBICOKE, ONTARIO, CANADA
 M9W 5T6
 TELEPHONE: 800-837-8961
 FAX: 416-798-1342

SECTION 2: HAZARDOUS INGREDIENTS

THESE PRODUCTS ARE NOT CONSIDERED TO BE HAZARDOUS, AND ARE NOT CLASSIFIED AS 'CONTROLLED PRODUCTS'. THEY ARE COMPRISED PRINCIPALLY OF POLYETHYLENE AND METALIZED ALUMINUM THAT ARE NON HAZARDOUS.

SECTION 3: PHYSICAL DATA

BOILING POINT: NOT APPLICABLE
 TEMPERATURE RANGE: -50°F TO 180°F
 WATER VAPOUR PERM: 22 PERMS
 APPEARANCE: FLEXIBLE SHEET
 ODOUR: NONE



SECTION 4: FIRE & EXPLOSION DATA

FLAME SPREAD: 0 (ASTM E84-09)
 SMOKE DEVELOPMENT: 5 (ASTM E84-09)
 EXTINGUISHING MEDIA: CO2, DRY CHEMICAL, WATER OR FOAM
 USUAL FIRE HAZARDS: BARRIER FOIL MATERIALS ARE NOT HIGHLY FLAMMABLE, BUT IN CONTACT WITH FLAME THEY WILL MELT AND BURN.

SECTION 5: REACTIVITY DATA

STABILITY: PRODUCTS ARE STABLE AND INERT TO MOST CHEMICALS.
 NONE CAUSE A VIOLENT REACTION.
 INCOMPATIBILITY: CONSULT WITH MANUFACTURER PRIOR TO USING AS A CONTAINMENT OR BARRIER FOR CHEMICALS OTHER THAN WATER.

SECTION 6: HEALTH HAZARD DATA

INHALATION: NONE
 EYES & SKIN: NONE
 INGESTION: PRODUCTS SHOULD NOT BE EATEN OR KEPT IN CONTACT WITH FOOD

SECTION 7: SPECIAL PRECAUTION & HANDLING INFORMATION


GENERALLY THE PRODUCTS REQUIRE NO SPECIAL PRECAUTIONS WHEN HANDLING. HOWEVER THE PRODUCTS MAY BECOME SLIPPERY WHEN WET, AND CARE SHOULD BE TAKEN WHEN WALKING ON THIS.

SECTION 8: FIRST AID MEASURES

NOT APPLICABLE


NOTE: THE INFORMATION CONTAINED IN THIS SHEET IS DISCLOSED IN GOOD FAITH AND IS PROVIDED TO THE BEST KNOWLEDGE OF THE MANUFACTURER. NEVERTHELESS IT IS NOT A WARRANTY AND COVERTECH FABRICATING INC. ASSUMES NO RESPONSIBILITY FOR DAMAGES INCURRED FROM THE USE OR INABILITY TO USE THE PRODUCT

279 Humberline Drive Etobicoke, ON M9W 5T6
 Call Toll Free: 1-800-837-8961 Local: 416-798-1340
 Fax: 416-798-1342 Email: sales@rfoil.com
 Visit our Website: www.rfoil.com



Published: November 15, 2013

MATERIAL SAFETY DATA SHEET





MATERIAL SAFETY DATA SHEET

rFOIL™ ULTRA NT RADIANT BARRIER (SCIF'S)

JUNE 2013

SECTION 1: PRODUCT IDENTIFICATION

NAME: rFOIL ULTRA NT RADIANT BARRIER
 DESCRIPTION: SOLID REINFORCED RADIANT BARRIER
 MANUFACTURER: COVERTECH FABRICATING INC.
 ADDRESS: 279 HUMBERLINE DRIVE
 ETOBICOKE, ONTARIO, CANADA
 M9W 5T6
 TELEPHONE: 800-837-8961
 FAX: 416-798-1342

SECTION 2: HAZARDOUS INGREDIENTS

THESE PRODUCTS ARE NOT CONSIDERED TO BE HAZARDOUS, AND ARE NOT CLASSIFIED AS 'CONTROLLED PRODUCTS'. THEY ARE COMPRISED PRINCIPALLY OF POLYETHYLENE AND METALIZED ALUMINUM THAT ARE NON HAZARDOUS.

SECTION 3: PHYSICAL DATA

BOILING POINT: NOT APPLICABLE
 TEMPERATURE RANGE: -50°F TO 180°F
 WATER VAPOUR PERM: < 0.01 PERMS
 APPEARANCE: FLEXIBLE SHEET
 ODOUR: NONE



SECTION 4: FIRE & EXPLOSION DATA

FLAME SPREAD: 0 (ASTM E84-09)
 SMOKE DEVELOPMENT: 20 (ASTM E84-09)
 EXTINGUISHING MEDIA: CO2, DRY CHEMICAL, WATER OR FOAM
 USUAL FIRE HAZARDS: BARRIER FOIL MATERIALS ARE NOT HIGHLY FLAMMABLE, BUT IN CONTACT WITH FLAME THEY WILL MELT AND BURN.

SECTION 5: REACTIVITY DATA

STABILITY: PRODUCTS ARE STABLE AND INERT TO MOST CHEMICALS.
 NONE CAUSE A VIOLENT REACTION.
 INCOMPATIBILITY: CONSULT WITH MANUFACTURER PRIOR TO USING AS A CONTAINMENT OR BARRIER FOR CHEMICALS OTHER THAN WATER.

SECTION 6: HEALTH HAZARD DATA

INHALATION: NONE
 EYES & SKIN: NONE
 INGESTION: PRODUCTS SHOULD NOT BE EATEN OR KEPT IN CONTACT WITH FOOD


SECTION 7: SPECIAL PRECAUTION & HANDLING INFORMATION

GENERALLY THE PRODUCTS REQUIRE NO SPECIAL PRECAUTIONS WHEN HANDLING. HOWEVER THE PRODUCTS MAY BECOME SLIPPERY WHEN WET, AND CARE SHOULD BE TAKEN WHEN WALKING ON THIS.


SECTION 8: FIRST AID MEASURES

NOT APPLICABLE

NOTE: THE INFORMATION CONTAINED IN THIS SHEET IS DISCLOSED IN GOOD FAITH AND IS PROVIDED TO THE BEST KNOWLEDGE OF THE MANUFACTURER. NEVERTHELESS IT IS NOT A WARRANTY AND COVERTECH FABRICATING INC. ASSUMES NO RESPONSIBILITY FOR DAMAGES INCURRED FROM THE USE OR INABILITY TO USE THE PRODUCT



279 Humberline Drive Etobicoke, ON M9W 5T6
 Call Toll Free: 1-800-837-8961 Local: 416-798-1340
 Fax: 416-798-1342 Email: sales@rfoil.com
 Visit our Website: www.rfoil.com



Published: November 15, 2013

W
A
T
E
R
A
L
I
S
T
E
R
I
E
S
H
E
E
T
B
A
A



MATERIAL SAFETY DATA SHEET

rFOIL™ ULTRA CBF
CONCRETE BARRIER FOIL

JUNE 2013

SECTION 1: PRODUCT IDENTIFICATION

NAME: ULTRA CONCRETE BARRIER FOIL (CBF)
 DESCRIPTION: BUBBLE-REFLECTIVE-BUBBLE
 MANUFACTURER: COVERTECH FABRICATING INC.
 ADDRESS: 279 HUMBERLINE DRIVE
 ETOBICOKE, ONTARIO, CANADA
 M9W 5T6
 TELEPHONE: 800-837-8961
 FAX: 416-798-1342

SECTION 2: HAZARDOUS INGREDIENTS

THESE PRODUCTS ARE NOT CONSIDERED TO BE HAZARDOUS, AND ARE NOT CLASSIFIED AS 'CONTROLLED PRODUCTS'. THEY ARE COMPRISED PRINCIPALLY OF POLYETHYLENE AND METALIZED ALUMINUM THAT ARE NON HAZARDOUS.

SECTION 3: PHYSICAL DATA

BOILING POINT: NOT APPLICABLE
 TEMPERATURE RANGE: -50°F TO 180°F
 WATER VAPOUR PERM: < 0.01 PERMS
 APPEARANCE: FLEXIBLE SHEET
 ODOUR: NONE



SECTION 4: FIRE & EXPLOSION DATA

FLAME SPREAD: 27 (ASTM E84-09)
 SMOKE DEVELOPMENT: 62 (ASTM E84-09)
 EXTINGUISHING MEDIA: CO2, DRY CHEMICAL, WATER OR FOAM
 USUAL FIRE HAZARDS: BARRIER FOIL MATERIALS ARE NOT HIGHLY FLAMMABLE, BUT IN CONTACT WITH FLAME THEY WILL MELT AND BURN.

SECTION 5: REACTIVITY DATA

STABILITY: PRODUCTS ARE STABLE AND INERT TO MOST CHEMICALS.
 NONE CAUSE A VIOLENT REACTION.
 INCOMPATIBILITY: CONSULT WITH MANUFACTURER PRIOR TO USING AS A CONTAINMENT OR BARRIER FOR CHEMICALS OTHER THAN WATER.

SECTION 6: HEALTH HAZARD DATA

INHALATION: NONE
 EYES & SKIN: NONE
 INGESTION: PRODUCTS SHOULD NOT BE EATEN OR KEPT IN CONTACT WITH FOOD

SECTION 7: SPECIAL PRECAUTION & HANDLING INFORMATION

GENERALLY THE PRODUCTS REQUIRE NO SPECIAL PRECAUTIONS WHEN HANDLING. HOWEVER THE PRODUCTS MAY BECOME SLIPPERY WHEN WET, AND CARE SHOULD BE TAKEN WHEN WALKING ON THIS.


SECTION 8: FIRST AID MEASURES

NOT APPLICABLE

NOTE: THE INFORMATION CONTAINED IN THIS SHEET IS DISCLOSED IN GOOD FAITH AND IS PROVIDED TO THE BEST KNOWLEDGE OF THE MANUFACTURER. NEVERTHELESS IT IS NOT A WARRANTY AND COVERTECH FABRICATING INC. ASSUMES NO RESPONSIBILITY FOR DAMAGES INCURRED FROM THE USE OR INABILITY TO USE THE PRODUCT



279 Humberline Drive Etobicoke, ON M9W 5T6
 Call Toll Free: 1-800-837-8961 Local: 416-798-1340
 Fax: 416-798-1342 Email: sales@rfoil.com
 Visit our Website: www.rfoil.com



Published: November 15, 2013



MATERIAL SAFETY DATA SHEET

rFOIL™ ULTRA CONCRETE UNDERPAD

JUNE 2013

SECTION 1: PRODUCT IDENTIFICATION

NAME: rFOIL POLY
DESCRIPTION: REFLECTIVE INSULATION (REFLECTIVE-POLY)
MANUFACTURER: COVERTECH FABRICATING INC.
ADDRESS: 279 HUMBERLINE DRIVE
ETOBICOKE, ONTARIO, CANADA
M9W 5T6
TELEPHONE: 800-837-8961
FAX: 416-798-1342

SECTION 2: HAZARDOUS INGREDIENTS

THESE PRODUCTS ARE NOT CONSIDERED TO BE HAZARDOUS, AND ARE NOT CLASSIFIED AS 'CONTROLLED PRODUCTS'. THEY ARE COMPRISED PRINCIPALLY OF POLYETHYLENE AND METALIZED ALUMINUM THAT ARE NON HAZARDOUS.

SECTION 3: PHYSICAL DATA

BOILING POINT: NOT APPLICABLE
TEMPERATURE RANGE: -50°F TO 180°F
WATER VAPOUR PERM: < 0.01 PERMS
APPEARANCE: FLEXIBLE SHEET
ODOUR: NONE



SECTION 4: FIRE & EXPLOSION DATA

FLAME SPREAD: 0 (ASTM E84-09)
SMOKE DEVELOPMENT: 15 (ASTM E84-09)
EXTINGUISHING MEDIA: CO2, DRY CHEMICAL, WATER OR FOAM
USUAL FIRE HAZARDS: BARRIER FOIL MATERIALS ARE NOT HIGHLY FLAMMABLE, BUT IN CONTACT WITH FLAME THEY WILL MELT AND BURN.

SECTION 5: REACTIVITY DATA

STABILITY: PRODUCTS ARE STABLE AND INERT TO MOST CHEMICALS.
NONE CAUSE A VIOLENT REACTION.
INCOMPATIBILITY: CONSULT WITH MANUFACTURER PRIOR TO USING AS A CONTAINMENT OR BARRIER FOR CHEMICALS OTHER THAN WATER.

SECTION 6: HEALTH HAZARD DATA

INHALATION: NONE
EYES & SKIN: NONE
INGESTION: PRODUCTS SHOULD NOT BE EATEN OR KEPT IN CONTACT WITH FOOD

SECTION 7: SPECIAL PRECAUTION & HANDLING INFORMATION

GENERALLY THE PRODUCTS REQUIRE NO SPECIAL PRECAUTIONS WHEN HANDLING. HOWEVER THE PRODUCTS MAY BECOME SLIPPERY WHEN WET, AND CARE SHOULD BE TAKEN WHEN WALKING ON THIS.

SECTION 8: FIRST AID MEASURES

NOT APPLICABLE

NOTE: THE INFORMATION CONTAINED IN THIS SHEET IS DISCLOSED IN GOOD FAITH AND IS PROVIDED TO THE BEST KNOWLEDGE OF THE MANUFACTURER. NEVERTHELESS IT IS NOT A WARRANTY AND COVERTECH FABRICATING INC. ASSUMES NO RESPONSIBILITY FOR DAMAGES INCURRED FROM THE USE OR INABILITY TO USE THE PRODUCT



279 Humberline Drive Etobicoke, ON M9W 5T6
Call Toll Free: 1-800-837-8961 Local: 416-798-1340
Fax: 416-798-1342 Email: sales@rfoil.com
Visit our Website: www.rfoil.com



Published: November 15, 2013



MATERIAL SAFETY DATA SHEET

rFOIL™ CONCRETE UNDERPAD

JUNE 2013

SECTION 1: PRODUCT IDENTIFICATION

NAME: rFOIL POLY
 DESCRIPTION: REFLECTIVE INSULATION (REFLECTIVE-POLY)
 MANUFACTURER: COVERTECH FABRICATING INC.
 ADDRESS: 279 HUMBERLINE DRIVE
 ETOBICOKE, ONTARIO, CANADA
 M9W 5T6
 TELEPHONE: 800-837-8961
 FAX: 416-798-1342

SECTION 2: HAZARDOUS INGREDIENTS

THESE PRODUCTS ARE NOT CONSIDERED TO BE HAZARDOUS, AND ARE NOT CLASSIFIED AS 'CONTROLLED PRODUCTS'. THEY ARE COMPRISED PRINCIPALLY OF POLYETHYLENE AND METALIZED ALUMINUM THAT ARE NON HAZARDOUS.

SECTION 3: PHYSICAL DATA

BOILING POINT: NOT APPLICABLE
 TEMPERATURE RANGE: -50°F TO 180°F
 WATER VAPOUR PERM: < 0.01 PERMS
 APPEARANCE: FLEXIBLE SHEET
 ODOUR: NONE



SECTION 4: FIRE & EXPLOSION DATA

FLAME SPREAD: 0 (ASTM E84-09)
 SMOKE DEVELOPMENT: 15 (ASTM E84-09)
 EXTINGUISHING MEDIA: CO2, DRY CHEMICAL, WATER OR FOAM
 USUAL FIRE HAZARDS: BARRIER FOIL MATERIALS ARE NOT HIGHLY FLAMMABLE, BUT IN CONTACT WITH FLAME THEY WILL MELT AND BURN.

SECTION 5: REACTIVITY DATA

STABILITY: PRODUCTS ARE STABLE AND INERT TO MOST CHEMICALS.
 NONE CAUSE A VIOLENT REACTION.
 INCOMPATIBILITY: CONSULT WITH MANUFACTURER PRIOR TO USING AS A CONTAINMENT OR BARRIER FOR CHEMICALS OTHER THAN WATER.

SECTION 6: HEALTH HAZARD DATA

INHALATION: NONE
 EYES & SKIN: NONE
 INGESTION: PRODUCTS SHOULD NOT BE EATEN OR KEPT IN CONTACT WITH FOOD

SECTION 7: SPECIAL PRECAUTION & HANDLING INFORMATION


GENERALLY THE PRODUCTS REQUIRE NO SPECIAL PRECAUTIONS WHEN HANDLING. HOWEVER THE PRODUCTS MAY BECOME SLIPPERY WHEN WET, AND CARE SHOULD BE TAKEN WHEN WALKING ON THIS.

SECTION 8: FIRST AID MEASURES

NOT APPLICABLE

NOTE: THE INFORMATION CONTAINED IN THIS SHEET IS DISCLOSED IN GOOD FAITH AND IS PROVIDED TO THE BEST KNOWLEDGE OF THE MANUFACTURER. NEVERTHELESS IT IS NOT A WARRANTY AND COVERTECH FABRICATING INC. ASSUMES NO RESPONSIBILITY FOR DAMAGES INCURRED FROM THE USE OR INABILITY TO USE THE PRODUCT

279 Humberline Drive Etobicoke, ON M9W 5T6
 Call Toll Free: 1-800-837-8961 Local: 416-798-1340
 Fax: 416-798-1342 Email: sales@rfoil.com
 Visit our Website: www.rfoil.com



Published: November 15, 2013

COVERTECH FABRICATING INC.





MATERIAL SAFETY DATA SHEET

rFOIL™ RETURN AIR DUCT PANNING

JUNE 2013

SECTION 1: PRODUCT IDENTIFICATION

NAME: rFOIL RETURN AIR DUCT PANNING
 DESCRIPTION: REFLECTIVE INSULATION
 MANUFACTURER: COVERTECH FABRICATING INC.
 ADDRESS: 279 HUMBERLINE DRIVE
 ETOBICOKE, ONTARIO, CANADA
 M9W 5T6
 TELEPHONE: 800-837-8961
 FAX: 416-798-1342

SECTION 2: HAZARDOUS INGREDIENTS

THESE PRODUCTS ARE NOT CONSIDERED TO BE HAZARDOUS, AND ARE NOT CLASSIFIED AS 'CONTROLLED PRODUCTS'. THEY ARE COMPRISED PRINCIPALLY OF POLYETHYLENE AND METALIZED ALUMINUM THAT ARE NON HAZARDOUS.

SECTION 3: PHYSICAL DATA

BOILING POINT: NOT APPLICABLE
 TEMPERATURE RANGE: -50°F TO 180°F
 WATER VAPOUR PERM: < 0.01 PERMS
 APPEARANCE: FLEXIBLE SHEET
 ODOUR: NONE



SECTION 4: FIRE & EXPLOSION DATA

FLAME SPREAD: 0 (ASTM E84-09)
 SMOKE DEVELOPMENT: 20 (ASTM E84-09)
 EXTINGUISHING MEDIA: CO2, DRY CHEMICAL, WATER OR FOAM
 USUAL FIRE HAZARDS: BARRIER FOIL MATERIALS ARE NOT HIGHLY FLAMMABLE, BUT IN CONTACT WITH FLAME THEY WILL MELT AND BURN.

SECTION 5: REACTIVITY DATA

STABILITY: PRODUCTS ARE STABLE AND INERT TO MOST CHEMICALS.
 NONE CAUSE A VIOLENT REACTION.
 INCOMPATIBILITY: CONSULT WITH MANUFACTURER PRIOR TO USING AS A CONTAINMENT OR BARRIER FOR CHEMICALS OTHER THAN WATER.

SECTION 6: HEALTH HAZARD DATA

INHALATION: NONE
 EYES & SKIN: NONE
 INGESTION: PRODUCTS SHOULD NOT BE EATEN OR KEPT IN CONTACT WITH FOOD

SECTION 7: SPECIAL PRECAUTION & HANDLING INFORMATION

GENERALLY THE PRODUCTS REQUIRE NO SPECIAL PRECAUTIONS WHEN HANDLING. HOWEVER THE PRODUCTS MAY BECOME SLIPPERY WHEN WET, AND CARE SHOULD BE TAKEN WHEN WALKING ON THIS.

SECTION 8: FIRST AID MEASURES

NOT APPLICABLE

NOTE: THE INFORMATION CONTAINED IN THIS SHEET IS DISCLOSED IN GOOD FAITH AND IS PROVIDED TO THE BEST KNOWLEDGE OF THE MANUFACTURER. NEVERTHELESS IT IS NOT A WARRANTY AND COVERTECH FABRICATING INC. ASSUMES NO RESPONSIBILITY FOR DAMAGES INCURRED FROM THE USE OR INABILITY TO USE THE PRODUCT



279 Humberline Drive Etobicoke, ON M9W 5T6
 Call Toll Free: 1-800-837-8961 Local: 416-798-1340
 Fax: 416-798-1342 Email: sales@rfoil.com
 Visit our Website: www.rfoil.com



Published: November 15, 2013

MATERIAL SAFETY DATA SHEET



MATERIAL SAFETY DATA SHEET

rFOIL™ REFLECTIVE FLOOR UNDERLAYMENT

JUNE 2013

SECTION 1: PRODUCT IDENTIFICATION

NAME: rFOIL POLY
 DESCRIPTION: REFLECTIVE INSULATION (REFLECTIVE-POLY)
 MANUFACTURER: COVERTECH FABRICATING INC.
 ADDRESS: 279 HUMBERLINE DRIVE
 ETOBICOKE, ONTARIO, CANADA
 M9W 5T6
 TELEPHONE: 800-837-8961
 FAX: 416-798-1342

SECTION 2: HAZARDOUS INGREDIENTS

THESE PRODUCTS ARE NOT CONSIDERED TO BE HAZARDOUS, AND ARE NOT CLASSIFIED AS 'CONTROLLED PRODUCTS'. THEY ARE COMPRISED PRINCIPALLY OF POLYETHYLENE AND METALIZED ALUMINUM THAT ARE NON HAZARDOUS.

SECTION 3: PHYSICAL DATA

BOILING POINT: NOT APPLICABLE
 TEMPERATURE RANGE: -50°F TO 180°F
 WATER VAPOUR PERM: < 0.01 PERMS
 APPEARANCE: FLEXIBLE SHEET
 ODOUR: NONE



SECTION 4: FIRE & EXPLOSION DATA

FLAME SPREAD: 0 (ASTM E84-09)
 SMOKE DEVELOPMENT: 20 (ASTM E84-09)
 EXTINGUISHING MEDIA: CO2, DRY CHEMICAL, WATER OR FOAM
 USUAL FIRE HAZARDS: BARRIER FOIL MATERIALS ARE NOT HIGHLY FLAMMABLE, BUT IN CONTACT WITH FLAME THEY WILL MELT AND BURN.

SECTION 5: REACTIVITY DATA

STABILITY: PRODUCTS ARE STABLE AND INERT TO MOST CHEMICALS. NONE CAUSE A VIOLENT REACTION.
 INCOMPATIBILITY: CONSULT WITH MANUFACTURER PRIOR TO USING AS A CONTAINMENT OR BARRIER FOR CHEMICALS OTHER THAN WATER.

SECTION 6: HEALTH HAZARD DATA

INHALATION: NONE
 EYES & SKIN: NONE
 INGESTION: PRODUCTS SHOULD NOT BE EATEN OR KEPT IN CONTACT WITH FOOD

SECTION 7: SPECIAL PRECAUTION & HANDLING INFORMATION


GENERALLY THE PRODUCTS REQUIRE NO SPECIAL PRECAUTIONS WHEN HANDLING. HOWEVER THE PRODUCTS MAY BECOME SLIPPERY WHEN WET, AND CARE SHOULD BE TAKEN WHEN WALKING ON THIS.

SECTION 8: FIRST AID MEASURES

NOT APPLICABLE

NOTE: THE INFORMATION CONTAINED IN THIS SHEET IS DISCLOSED IN GOOD FAITH AND IS PROVIDED TO THE BEST KNOWLEDGE OF THE MANUFACTURER. NEVERTHELESS IT IS NOT A WARRANTY AND COVERTECH FABRICATING INC. ASSUMES NO RESPONSIBILITY FOR DAMAGES INCURRED FROM THE USE OR INABILITY TO USE THE PRODUCT

279 Humberline Drive Etobicoke, ON M9W 5T6
 Call Toll Free: 1-800-837-8961 Local: 416-798-1340
 Fax: 416-798-1342 Email: sales@rfoil.com
 Visit our Website: www.rfoil.com



Published: November 15, 2013

MATERIAL SAFETY DATA SHEET

