

**Hydro
Balance**

Innovative HVACR Chemistry Since 1969



INSIDE PRODUCT CATALOG

■ COIL CLEANERS ■ IAQ PRODUCTS

■ SPRAYERS ■ ICE/WATER TREATMENT

■ LUBRICANTS ■ SPECIALTY PRODUCTS



Why Hydro-Balance?

For better results, get a better coil cleaner.

Consider this - the majority of the cost for inferior products is shipping, not the active cleaner ingredients themselves.

You've heard it before and it's still true – you get what you pay for. It's the same with coil cleaners. Manufacturers of inferior products dilute their cleaners with as much water as they can get away with. The price you pay may seem low – but not when you consider what you are buying isn't cleaning ingredients – it's water!

At Hydro-Balance, we have a more sensible (and we feel honest) approach. We formulate our cleaners with the amount of active ingredients necessary to get the job done – in one application. We figure our customers have more to do than stand around waiting for a coil cleaner to work after the second or third application. Don't you?

**DIRTY COILS—THE ENEMY OF THE HVAC SYSTEM
CREATES POOR AIRFLOW WHICH CAN LEAD TO POOR
SYSTEM FUNCTION AND MECHANICAL BREAKDOWN.
GET HYDRO-BALANCE COIL CLEANERS BECAUSE
RESULTS MATTER!**



RIGHT OUT OF THE *Blue*

New Hydro-Balance Bluedaceous Coil Cleaner



BLUEDACEOUS is a highly concentrated sodium-based cleaning system that removes a broad range of soils quickly and with minimum effort. Its ingredients act synergistically to penetrate, emulsify and sequester contaminants that rinse away with water. It is specially formulated for the cleaning and brightening of air conditioning condenser coils. It is non-acidic, non-flammable and contains no toxic petroleum or chlorinated solvents. The surfactants used in BLUEDACEOUS are biodegradable.

Available Now
See Page 4

COIL CLEANERS

HYDRO-FOAM CONCENTRATE

Acid-Type, Foaming, Air-Cooled Condenser Cleaner & Brightener

- Expanding foam action
- Best for brightening – makes condenser coils look new
- Dilution rates from 2 to 10 parts water
- Must be thoroughly rinsed with water
- Contains hazardous components Hydrofluoric Acid and Phosphoric Acid
- Outdoor use only, protective gloves, and eye & face protection required



ITEM NO.	SIZE	CASE QTY
H-501	1 GAL	4
H-505	5 GAL	1
H-555	55 GAL	1

HYDRO-KLEEN CONCENTRATE

Non-Acid, Foaming, Air-Cooled Condenser Cleaner

- Expanding foam action
- Alkaline formulation is excellent on grease contaminated coils
- Dilution rates from 2 to 20 parts water
- U.S.D.A. accepted
- Must be thoroughly rinsed with water
- Contains hazardous component Potassium Hydroxide
- Good ventilation, protective gloves, and eye protection required

ITEM NO.	SIZE	CASE QTY
H-1101	1 GAL	4
H-1105	5 GAL	1
H-1155	55 GAL	1



BLACK-MAX

Condenser Coil Cleaner & Brightener

- Premium grade alkaline – expanding foam action
- Brightens better than normal alkaline cleaners
- Dilution rates from 3 to 40 parts water
- Must be thoroughly rinsed with water
- Contains hazardous component Potassium Hydroxide
- Good ventilation, protective gloves, and eye protection required

ITEM NO.	SIZE	CASE QTY
H-BM01	1 GAL	4
H-BM05	5 GAL	1
H-BM55	55 GAL	1

BLUEDACEOUS

Blue Coil Cleaner

Premium grade alkaline – expanding foam action

- Non-acid - blue coil cleaner
- Low cost high-performance coil cleaner
- Sodium-based cleaner
- Easily cleans grease contaminated coils

ITEM NO.	SIZE	CASE QTY
H-BD01	1 GAL	4
H-BD05	5 GAL	1



Evaporator and Condenser Cleaner

- | ITEM NO. | SIZE | CASE QTY |
|----------|--------|----------|
| H-EC01 | 1 GAL | 4 |
| H-EC05 | 5 GAL | 1 |
| H-EC55 | 55 GAL | 1 |



- No foaming action – only attacks dirt buildup, not metal
- Dilution rates from 4 to 6 parts water
- U.S.D.A. accepted
- Rinsing not required – normal condensation will carry away dirt and contamination
- May irritate eyes and skin – excessive contact should be avoided

ITEM NO.	SIZE	CASE QTY
H-401	1 GAL	4
H-405	5 GAL	1
H-455	55 GAL	1



- Easy to use aerosol spray cans
- No mixing, no sprayer, no mess
- Ready-to-use
- For evaporator coils – no rinsing required

ITEM NO.	SIZE	CASE QTY
ZC-02	18 OZ	12



- Easy to use aerosol spray cans
- No mixing, no sprayer, no mess
- Ready-to-use
- For condenser coils – must be rinsed with water

ITEM NO.	SIZE	CASE QTY
ZC-01	18 OZ	12



BASE COIL CLEANERS

(SUPER CONCENTRATED)

**100% ACTIVE INGREDIENTS
SUPER CONCENTRATE BASE FORMULATIONS
CONTAIN ALL INGREDIENTS TO MAKE A COIL CLEANER SUITABLE FOR YOUR APPLICATION
- JUST ADD WATER!**



4-X BASE

Coil Cleaner

- Properly dilute with water according to label instructions before use:
- 6 to 24 parts water for expanding foam on condenser coils
- 80 parts water for electronic filters, blowers, registers and other components
- Excellent on greasy contamination
- U.S.D.A. accepted
- Contains hazardous component Potassium Hydroxide
- Must be thoroughly rinsed with water
- Good ventilation, protective gloves, and eye protection required

ITEM NO.	SIZE	CASE QTY
H-4X32	32 OZ	6
H-4X01	1 GAL	4

SELF RINSING BASE

Evaporator Coil Cleaner

- No foaming action – only attacks dirt buildup, not metal
- Dilute Self Rinsing Base with 24 parts water – 1 quart makes over 6 gallons evaporator cleaner
- Rinsing not required – normal condensation will carry away dirt and contamination
- May irritate eyes and skin – excessive contact should be avoided

ITEM NO.	SIZE	CASE QTY
H-SR32	32 OZ	6
H-SR01	1 GAL	4



IAQ PRODUCTS



EVER-CLEAN COIL COAT

Cooling Coil Anti-Foulant

- Water based anti-foulant for cooling coils
- Forms microscopically thin coating that renders cooling surfaces self-cleaning for up to two years
- Prevents fungus and similar organisms from growing in the coating

ITEM NO.	SIZE	CASE QTY
H-9932	32 OZ	12
H-9901	1 GAL	4

COIL & DUCT SPRAY

- EPA registered fungistat, bacteriostat, and germistat for use in HVAC systems
- For use on ductwork, evaporator coils, drip pans and associated air conditioning parts
- Controls microbiological growth and associated odors
- Clean the area, spray thoroughly, and allow to dry

ITEM NO.	SIZE	CASE QTY
H-9532	32 OZ	12
H-9501	1GAL	4



ATOMIST FOGGER

- For application of antimicrobial coil and duct treatments

ITEM NO.
H-FG01

PRE-CLEAN

Coil & Component Parts Cleaner

- For use prior to anti-foulant treatment
- Contains no harsh acids or free alkali
- Effectively removes organic and inorganic contamination from coils
- Leaves no residue

ITEM NO.	SIZE	CASE QTY
H-PC01	1 GAL	4



IAQ PRODUCTS

DRAIN TREATMENTS AND ODOR CONTROL



SLIME-AWAY STICKY TABS

Slime-Away Sticky Tabs are a long lasting treatment for keeping condensate drain pans & lines free of accumulations commonly found in A/C condensate drain pans. Regular use of Slime-Away Sticky Tabs will help to prevent drain pan overflows and musty, foul odors in air conditioning systems.

- Gels when wet to lock in place so it can't clog the drain
- Slow, timed release—one tablet can last an entire cooling season
- Completely dissolves—nothing to retrieve from unit

ITEM NO.	DESC	UP TO	QTY PER PACKAGE
H-PT7I	INDV BLISTER PK	7 TONS	6
H-PT7B	BULK PK BOX	7 TONS	15
H-PT7BG	BULK PK BOX	7 TONS	144
H-PT20I	INDV BLISTER PK	20 TONS	6
H-PT20B	BULK PK BOX	20 TONS	6
H-PT20BG	BULK PK BOX	20 TONS	56

STA-CLEAN

Drain Pan Treatment

- EPA registered, timed-release control of microbial contaminants in condensate pans
- Kills mold, algae, fungus, and other microorganisms including Legionnaires Bacteria
- Lasts up to 6 months
- Place in drain pan as far from drain as possible

ITEM NO.	DESC	SIZE	CASE QTY
CS-50B	WIN/FAN & COIL	20PK JAR	6 JARS
CS-50	WIN/FAN & COIL	EACH	12
CS-100	UP TO 2.5 TONS	EACH	12
CS-250	3 TO 5 TONS	EACH	12
CS-600	6 TO 10 TONS	EACH	12
CS-1200	UP TO 20 TONS	EACH	12



EVER-CLEAN CONDENSATE PAN TABS

Control overflows, odor and water damage

- Easy to use completely soluble.
- Will not form any deposits in pan or drain.
- Safe non-toxic
- Non-corrosive

ITEM NO.	DESC	SIZE	CASE QTY
CT-200	TABS	200 QTY JAR	12 JARS



CDC ANTI-CLOG® #1

Safe Functional Design

- Sealed, tamper-proof housing prevents skin contact with biocide
- Filter pad controls biocide for consistent, perfectly timed chemical release over three months
- Weighted, so pieces stay in position, never float away
- Does not clog drain ports
- Low profile—fits most cooling equipment

Has been proven to control the growth of, or inactivate, Legionnaire's Disease. Bacteria in experimental laboratory conditions for (2) months when approximately 15 gallons of water flow over CDC Anti-Clog #1 Units per day.

ITEM NO.	UP TO	SIZE	CASE QTY
H-FTC24	5 TONS	EACH	24
H-ATC12	15 TONS	EACH	12
H-CDC06	45 TONS	EACH	6



NEUTRONIC™

Odor Neutralizer

Neutronic Odor Neutralizer Gel, Original and Citrus

Easily place gel in return air ducts or wherever foul odors exist

Neutronic Odor Neutralizer Spray

Spray the ductwork or room as a finishing touch to indoor coil cleaning

Neutronic Odor Neutralizer Filter Treatment

Treat all filter media with this tackifying spray that increases filter efficiency while neutralizing odors.



ITEM NO.	DESC	SIZE	CASE QTY
H-NT08	GEL	8 OZ	18
H-NCIT08	CITRUS GEL	8 OZ	18
H-NT03	GEL	3 LB	4
H-NS16	SPRAY	1 PT	12
H-NS01	SPRAY	1 GAL	4
H-NFS16	FILTER TREATMENT	1 PT	12
H-NFS01	FILTER TREATMENT	1 GAL	4

SPRAYERS



COMMERCIAL GRADE, COMPRESSED AIR SPRAYERS

- Heavy duty, poly construction
- All gaskets and seals made from Viton™ for maximum chemical resistance
- Built-in pressure relief valve and pressure gauge
- Adjustable poly-nozzle

ITEM NO.	SIZE	CASE QTY
H-SP01	1 GAL	1
H-SP02	2 GAL	1





SURESPRAY® ECONOMY GRADE, COMPRESSED AIR SPRAYERS

- Funnel top design
- Ergonomic pump handle
- Adjustable cone nozzle
- Measure cup

ITEM NO.	SIZE	CASE QTY
H-CSP15	1 GAL	1
H-CSP22	2 GAL	1

CHAPIN®, HAND-HELD PUMP SPRAYER

- Rugged poly-construction
- Excellent for smaller jobs
- Adjustable poly-nozzle

ITEM NO.	SIZE	CASE QTY
H-SP48	48 OZ	6



QUART TRIGGER SPRAYER

- Graduated bottle with dilution ratios
- Super-duty, High volume sprayer

ITEM NO.	SIZE	CASE QTY
H-ST32	32 OZ	12

MULTI-RATIO FOAM GUN

- Automatically mixes cleaners @ 3:1 to 10:1
- Improves any coil cleaner by increasing contact time

ITEM NO.	SIZE	CASE QTY
H-FG64	1/2 GAL	1



ICE/WATER TREATMENT

H.B. 30

Ice Machine Cleaner

- Removes slime and scale buildup and restores efficiency of ice machines
- Fast acting, non-foaming
- Nickel Safe – Meets Manitowoc spec. GES-6 for ice machine cleaner
- All food-grade ingredients

ITEM NO.	SIZE	CASE QTY
H-316	16 OZ	12
H-301	1 GAL	4



HYDRO-THERM PG100

Non-Toxic HVAC Anti-Freeze Solution

- Unique testing procedure
- PG100 Test Strips determine adequate freeze & corrosion protection
- 70% propylene glycol based heat transfer fluid for maximum freeze protection
- Contains a food-grade corrosion inhibitor package specially designed for HVAC systems
- Burst protection to -100°F (-73°C)
- Freeze protection to -60°F (-51°C)

ITEM NO.	SIZE	CASE QTY
H-801	1 GAL	4
H-805	5 GAL	1
H-855	55 GAL	1

HYDRO-CIDE

Biocide for Algae Control in Cooling Towers

- Polymeric quaternary ammonium microbiocide
- Controls algae, iron bacteria, and other slime-forming microorganisms in circulating water systems
- Highly concentrated — use 1½ to 15 ounces per 1000 gallons (45 to 450mL per 3785L) of circulating water
- Non-volatile
- Will not be lost by evaporation
- Use every 5-7 days or as needed to prevent algae growth

ITEM NO.	SIZE	CASE QTY
H-701	1 GAL	4
H-705	5 GAL	1



HYDROX SCALE REMOVER

Low Foaming

- Safely removes scale from cooling towers, pipes, and condensers without system shutdown
- Highly concentrated, use only 3 gallons per 100 gallons of circulating water
- Reduces head pressure in a matter of hours
- Ideal for use in systems that cannot be shutdown for descaling
- Contains no dangerous Hydrochloric acids or Sulfuric acids

ITEM NO.	SIZE	CASE QTY
H-601	1 GAL	4
H-605	5 GAL	1



HYDRO-TREAT

Color Coded Cooling Water Treatment

- Easy to use
- Controls scale and corrosion
- Eliminates complicated testing procedures
- Economical, 1 qt. per 1,000 gal.
- Biodegradable
- No chromates or heavy metals
- Non-volatile

ITEM NO.	SIZE	CASE QTY
H-901	1 GAL	4
H-905	5 GAL	1



ULTRA-MAX

Super Scale Remover

- Heavily inhibited Hydrochloric acid scale remover with pH indicator built in – red is active, yellow is spent
- Descales condensers that have been isolated for cleaning
- Highly concentrated
- When color change does not occur for 1 hour, all possible scale has been removed







ITEM NO.	SIZE	CASE QTY
H-2001	1 GAL	4
H-2005	5 GAL	1

LUBRICANTS



POLYOL ESTER LUBRICANTS

- Excellent lubricating properties over a wide temperature range
- OEM Approved
- Specially formulated for use with HFC refrigerants

DESCRIPTION	ITEM #	CONTAINER	VISCOSITY SUS @ 100°F	ISO VISCOSITY GRADE	REPLACES
ISO 32, SYNTHETIC ESTER	P-3232 P-3201	32-OUNCE 1-GALLON	150 SUS		RL 32H EAL 32
ISO 32 3MAF, SYNTHETIC ESTER (COPELAND APPROVED)	P-323MAF32 P-323MAF01	32-OUNCE 1-GALLON	150 SUS		RL32 3MAF
ISO 68, SYNTHETIC ESTER	P-6832 P-6801	32-OUNCE 1-GALLON	300 SUS		SW 68 RL 68HB
ISO 68S, SYNTHETIC ESTER	P-E6832 P-E6801	32-OUNCE 1-GALLON	300 SUS		ICEMATIC E68 RL 68H EAL 68
ISO 100, SYNTHETIC ESTER	P-E10032 P-E10001	32-OUNCE 1-GALLON	500 SUS		ICEMATIC E100 RL100E
ISO 220, SYNTHETIC ESTER	P-22032 P-22001	32-OUNCE 1-GALLON	1100 SUS		SW 220 RL 220HC +

H.B. LUBRICANTS, marketed and packaged by Hydro-Balance Corp., are manufactured by leading producers of mineral and synthetic refrigeration lubricants. Available in multiple ISO Viscosity Grades to accommodate the various needs of the A/C and refrigeration industries. These lubricants meet the specifications of many compressor and equipment manufacturers including:

Carrier

Carlyle

York

Carrier Transicold

Bitzer

Blissfield

Bristol

Climate Control

Danfoss

Dunham-Bush



Hitachi

Mycom

Tecumseh




MINERAL LUBRICANTS

- High quality naphthenic based lubricants
- OEM approved
- Compatible with CFC and HCFC refrigerants
- Moisture and wax free
- Filtered to 1 micron for high purity



DESCRIPTION	ITEM #	CONTAINER	VISCOSITY SUS @ 100°F	ISO VISCOSITY GRADE	REPLACES
MINERAL REFRIGERATION OIL #3 (COPELAND APPROVED)	H-2301 H-2305	1-GALLON 5-GALLON PAIL	150 SUS		3GS, C-3, R0-15, WF 32
MINERAL REFRIGERATION OIL #4	H-2401 H-2405	1-GALLON 5-GALLON PAIL	300 SUS		4GS, C-4, R0-30, WF 68

ALKYLBENZENE LUBRICANTS

- High quality reliable lubrication
- High solubility ~ Low foaming ~ Low floc point
- Excellent thermal stability
- OEM approved
- Compatible with CFC & HCFC refrigerants and mineral oils

DESCRIPTION	ITEM #	CONTAINER	VISCOSITY SUS @ 100°F	ISO VISCOSITY GRADE	REPLACES
Z-150 ALKYLBENZENE REFR. OIL	Z-150 01	1-GALLON	150 SUS		ZEROL 150 RF 150 AB 150 ROYCO 2032
Z-200CX ALKYLBENZENE REFR. OIL (COPELAND APPROVED)	Z 200 01	1-GALLON	200 SUS		ZEROL 200TD AB 200A
Z-300 ALKYLBENZENE REFR. OIL	Z 300 01	1-GALLON	300 SUS		ZEROL 300 AB 300

SPECIALTY PRODUCTS

DESCRIPTION	ITEM #	CONTAINER	REPLACES
DUAL-PURPOSE VACUUM PUMP OIL	H-2601 H-2600	1-GALLON 32-OUNCE	VIRGINIA KMP NU-CALGON JB, ROBINAIR, ETC.
PVE 32 POLYVINYL ETHER	H-PVE3201 H-PVE3232	1-GALLON 32-OUNCE	 VG 32 PVE
PVE 68 POLYVINYL ETHER	H-PVE6832	32-OUNCE	 VG 68 PVE
LUBRI-TECT™ NEUTRALIZES, SCAVENGES, PREVENTS ACID AND MOISTURE IN A/C AND REFRIGERATION SYSTEMS	H-3702	2.4 FL OZ	ACID AWAY ACID SCAVENGER ACID NEUTRALIZERS

SPECIALTY PRODUCTS




LEAK SEEK

Blue, Spray-type Leak Reactant

- Pinpoints tiny leaks in pressurized gas systems
- Sprayable, tacky, blue liquid clings to vertical surfaces and the underside of pipes
- Convenient spray for hard to reach areas
- Bubbles indicate leaks
- Non-corrosive, non-clogging

ITEM NO.	SIZE	CASE QTY
SB-32	32 OZ	12
SB-01	1 GAL	4



BUBBLE-UP

Leak Detector

- Bubbles indicate leaks
- High viscosity, clings to surface
- Freeze protected to 0° F

ITEM NO.	SIZE	CASE QTY
B-24	8 OZ	24
B1	1 GAL	4




LEAK SEEK (F)

Fluorescent, Low-temp Leak Detector

- Pinpoints tiny leaks in pressurized gas systems
- Sprayable, tacky, liquid clings to vertical surfaces and the underside of pipes
- Convenient spray for hard to reach areas
- Bubbles indicate leaks
- Non-corrosive, non-clogging
- Freeze protected to 0° F

ITEM NO.	SIZE	CASE QTY
H-RG32	32 OZ	12
H-RG01	1 GAL	4



SOLVENTS

SUPER H.D. CLEANER

Water Soluble Safety Solvent

- Removes tobacco tars, grease, grime, soot, and baked-on residues from electronic filters, refrigeration parts, heating parts, fans, vents, blowers, air ducts, and registers
- Non-flammable
- Dilution rates from 2 to 10 parts water
- May irritate eyes and skin – Excessive contact should be avoided



ITEM NO.	SIZE	CASE QTY
H-1501	1 GAL	4
H-1505	5 GAL	1
H-1555	55 GAL	1

POWER-PAC

Refrigeration Condenser Cleaner

- Blasts dirt, grease, and grime from refrigeration condensers
- Ideal for use where water cleanup is difficult
- Non-flammable
- Non-conductive

ITEM NO.	SIZE	CASE QTY
A-4101	18 OZ	12



HY-SOL

Condenser Coil Degreaser

- Cleans and degreases
- Non-flammable
- Non-conductive
- No rinse
- Fast evaporating

ITEM NO.	SIZE	CASE QTY
H-1200	1 GAL	4

ENVIRO-SOLV

Non-Chlorinated Degreasing Solvent

- Controlled evaporation is ideal for use in dip tanks
- Cleans electric motors, machined parts, coils, switches, breakers & other components
- Will not harm most electrical insulation
- Leaves no residue

ITEM NO.	SIZE	CASE QTY
H-ES01	1 GAL	4



SPECIALTY PRODUCTS

SEALANTS & MISCELLANEOUS



SEALING GUM

- Easily formed by hand to any shape
- Seals out dust and moisture from joints
- Will not dry out or crack
- Firmly adheres to non-porous surfaces

ITEM NO.	DESC	SIZE	CASE QTY
H-2901	GUM CORD	3/8" x 25'	12
H-2902	GUM SLUG	2 LB SLUG	24

INSULATING TAPES

- Effectively insulate hot or cold pipes
- Stop condensation and drip
- Molds easily around valves and fittings
- Will not shrink or dry out

ITEM NO.	DESC	SIZE	CASE QTY
H-2700	CORK TAPE	1/8"x2"x30'	12
H-2800	FOAM TAPE	1/8"x2"x30'	12



COLD PIPE INSULATING SPRAY

- Stops Sweating of Cold Pipes
- Works on Copper, Black Iron, Stainless Steel, Galvanized, Brass and PVC Pipe
- Eliminates Drip Damage

ITEM NO.	SIZE	CASE QTY
H-CP15	15 OZ	12



LEAK SEALER

Instant Leak and Patch Spray

- Rubberized waterproof coating for many applications

ITEM NO.	SIZE	CASE QTY
H-LS17	16 OZ	12



INTERNAL COIL CLEANER

- Environmentally friendly flushing solvent for use after burnouts, for retrofits or compressor replacement
- Safely cleans systems that use CFC, HCFC, and HFC refrigerants and all types of lubricants
- Excellent A/C and refrigeration parts cleaner

ITEM NO.	SIZE	CASE QTY
H-CF01	1 GAL	4



SCRUBBIN' WIPES ON-THE-GO HAND WIPES

- Powerful, waterless cleaning for many uses
- Aggressive yet gentle cleaning
- Built in skin conditioners
- Prevent cracking and drying while leaving your hands smelling fresh
- Towels don't dry out in tub

ITEM NO.	SIZE	CASE QTY
H-WP75	75 CT	6



SWAT

Bee and Wasp Killer

- Fast acting
- Kills wasps, bees, and hornets on contact
- 20-foot stream provides a safe point of attack
- Dielectric strength over 40,000 volts

ITEM NO.	SIZE	CASE QTY
H-214	14 OZ	12



FIN PROTECTANT

Condenser Coil Coating

- Ideal for use on air-cooled condensers located in corrosive environments such as paper mills, chemical plants, airports, adjacent to freeways, and salt air areas
- Acrylic polymer coating protects aluminum, copper, brass, bronze, chrome, galvanized metal, titanium, and stainless-steel
- Economical and easy to apply in the field
- Easy to use aerosol or 1-gallon can for larger jobs

ITEM NO.	SIZE	CASE QTY
A-7901	16 OZ (BLUE)	12
B-7900	1 GAL (CLEAR)	4
B-7901	1 GAL (BLUE)	4



HY-9 CONCENTRATE

- Concentrated, biodegradable, non-toxic
- Buffered pH - Gentle to skin
- Contains no butyl ether
- Safe for use on HVAC equipment
- Harmless to painted surfaces
- Excellent for cleaning coated coils with expensive anti-corrosion coatings
- Safe on all washable surfaces
- Use full strength or dilute as needed

ITEM NO.	SIZE	CASE QTY
H-H901	1 GAL	4



HYDRO-BALANCE HAS A COMPLETE LINE OF HVAC CHEMICALS, LUBES AND SUPPLIES THAT MEET THE NEEDS OF DEMANDING TRADE PROFESSIONALS WHILE MERCHANDISING WELL IN THE DISTRIBUTOR STORE.

**Hydro
Balance**

WHEN RESULTS MATTER!

ISO 9001:2008
CERTIFIED

800-527-5166

www.HydroBalance.com

P.O. Box 1318 Lewisville, TX 75067

© 2017 HYDRO-BALANCE, CORPORATION. All Rights Reserved.