

# Knives & Cutting Tools

Klein provides a wide range of knives, scissors and other cutting tools for professional applications across all trades.

For Professionals...  
Since 1857™



# Pocket Knives – One Blade

## Lightweight Pocket Knives

**NEW!**

- 440A stainless steel blade.
- Dual thumb studs for one-hand open.
- Pocket clip keeps knife readily available.
- Cat. No. 44201 features with 14-12 AWG solid and stranded wire stripping notches on backside of blade.
- Cat. Nos. 44144 and 44201 have liner locks to secure blade in open position and Cat. No. 44142 features the lock back to secure knife in open position.
- Cat. No. 44144 features silver aluminum handle for corrosion resistance and Cat. No. 44142 has a black aluminum handle for corrosion resistance.




44201



44144



44142



Cat. No. 44201 features stripping notches.

Cat. No.	Handle Type	Blade Length	Open Length	Weight (oz.)
<b>Satin Finish Drop Point Blade</b>				
44142	440A stainless steel	3-1/2" (89 mm)	6-3/4" (171 mm)	.14
44144	440A stainless steel	4" (60 mm)	8" (203 mm)	.28
44201	440A stainless steel	3-3/4" (95 mm)	8" (203 mm)	.31

## Lightweight Lockback Knives

- Reversible thumb stud provides easy one-handed opening.
- Cat. Nos. 44003-44005 feature impact-resistant nylon resin handles with rubber insert.
- Cat. Nos. 44000, 44001, 44006 and 44007 have comfortable silver anodized-aluminum handles for corrosion-resistance.
- Cat. Nos. 44000-BLK and 44001-BLK have black chrome blade and black anodized-aluminum handle for corrosion-resistance.
- Cat. Nos. 44005R and 44005RC have a rounded tip for additional safety.



44001-BLK



44001



44005



44006



44007

Cat. No.	Blade Steel	Blade Length	Length Closed	Weight (oz.)
<b>Drop Point Blade</b>				
44000	AUS 8 stainless steel	2-1/4" (57 mm)	3-1/8" (76 mm)	1.5
44000-BLK	AUS 8 stainless steel	2-1/4" (57 mm)	3-1/8" (76 mm)	1.1
44001*	AUS 8 stainless steel	2-1/2" (64 mm)	3-1/2" (89 mm)	2.5
44001-BLK*	AUS 8 stainless steel	2-1/2" (64 mm)	3-1/2" (89 mm)	1.3
44003	AUS 8 stainless steel	2-3/4" (70 mm)	4-1/8" (105 mm)	2.5
<b>Sheepfoot Blade</b>				
44004	AUS 8 stainless steel	2-3/8" (60 mm)	3-1/2" (89 mm)	1.5
44005	AUS 8 stainless steel	2-5/8" (67 mm)	4-1/8" (105 mm)	2.5
44006*	AUS 8 stainless steel	2-5/8" (67 mm)	3-1/2" (89 mm)	1.3
<b>Coping Blade</b>				
44007*	AUS 8 stainless steel	2-1/2" (63 mm)	3-1/2" (89 mm)	1.5
<b>Rounded Tip Blade</b>				
44005R	AUS 8 stainless steel	2-5/8" (67 mm)	4-1/8" (105 mm)	2.5
44005RC*	AUS 8 stainless steel	2-5/8" (67 mm)	4-1/8" (105 mm)	2.5

\* Includes a pocket/belt clip.

All dimensions are in inches and (millimeters).



**WARNING:** Blades are intended for cutting only, and should be handled and disposed of with care. Bending the blade can cause it to break, possibly resulting in bodily injury.

[www.kleintools.com](http://www.kleintools.com)

See page 296 for additional information on warnings.

# Pocket Knives – One Blade

## Compact Pocket Knives – Drop-Point Blade

- Compact and lightweight knives.
- Stainless steel handle and blade for long life.
- Rosewood handle inserts on both sides.
- Modified spear point blade lockback open.

Cat. No.	Blade Steel	Blade Length	Length Closed	Weight (oz.)
44032	stainless steel	1-5/8" (41 mm)	2-1/2" (64 mm)	1.0
44033	stainless steel	2" (51 mm)	3" (76 mm)	1.8
44034	stainless steel	2-5/8" (67 mm)	4" (102 mm)	4.0



44033

## Sportsman Knives – Drop-Point Blade

- Curved handle with big bolster.
- Brass bolsters and ebony wood handle.
- Stainless steel blade for long life.
- Brass linings.
- Blade locks open.
- Cat. No. 44037 furnished with leather snap case with belt loop.

Cat. No.	Blade Steel	Blade Length	Length Closed	Weight (oz.)
44036	stainless steel	2-3/8" (60 mm)	3-1/2" (89 mm)	2.5
44037	stainless steel	3-3/8" (86 mm)	4-7/8" (124 mm)	6.5



44037

## Pocket Knife – Coping Blade

- Coping-type blade.
- Blade locks open.
- Compact and lightweight.
- Ideal for skinning small wire and cable.

Cat. No.	Blade Steel	Blade Length	Length Closed	Weight (oz.)
1550-11	carbon steel	2-1/4" (57 mm)	3-1/4" (83 mm)	1.5



1550-11

## Pocket Knives – Sheepfoot Slitting Blade

- Extra-large curved sheepfoot slitting-blade – 2-5/8" (67 mm) long.
- Ideal for heavy-duty line work.
- Woodgrain plastic handle.
- Blade locks open.

Cat. No.	Blade Steel	Blade Length	Length Closed	Weight (oz.)
1550-4	carbon steel	2-5/8" (67 mm)	4" (102 mm)	4.0
1550-44	stainless steel	2-5/8" (67 mm)	4" (102 mm)	4.0



1550-4

All dimensions are in inches and (millimeters).



**WARNING:** Blades are intended for cutting only, and should be handled and disposed of with care. Bending the blade can cause it to break, possibly resulting in bodily injury.

[www.kleintools.com](http://www.kleintools.com)

See page 296 for additional information on warnings.



## Pocket Knives – One Blade

### Pocket Knife – Slitting Blade

- Large, stainless steel, curved sheepfoot slitting blade – 2-1/2" (64 mm) long.
- Ideal for heavy-duty line work.
- Plastic handle.
- Blade locks open.

Cat. No.	Blade Steel	Blade Length	Length Closed	Weight (oz.)
1550-24	stainless steel	2-1/2" (64 mm)	4-3/8" (111 mm)	2.5



1550-24

### 2-Blade Pocket Knife – Spearpoint and Screwdriver-Tip Blades

- Standard spearpoint blade – 2-1/2" (64 mm) long.
- Screwdriver-tip blade – 2-1/2" (64 mm) long.
- Screwdriver-tip blade locks open.

Cat. No.	Blade Steel	Blade Lengths	Length Closed	Weight (oz.)
1550-2	carbon steel	2-1/2" (64 mm)	3-3/4" (95 mm)	4.0



1550-2

### 2-Blade Pocket Knife – Carbon Steel Sheepfoot and Insulation – Slitting Blade

- Curved sheepfoot skinning blade – 2-3/8" (60 mm) long.
- Special insulation-slitting blade – 1-1/2" (38 mm) long.
- Slitting blade locks open.

Cat. No.	Blade Steel	Blade Lengths	Length Closed	Weight (oz.)
1550-10	carbon steel	2-3/8" (60 mm) & 1-1/2" (38 mm)	3-3/4" (95 mm)	4.0



1550-10

## Pocket Knives – Combination Blades

### 3-Blade Pocket Knife – Sheepfoot, Spearpoint and Screwdriver-Tip Blades

- Curved sheepfoot skinning blade – 2-3/8" (60 mm) long.
- Standard spearpoint blade – 2-1/2" (64 mm) long.
- Screwdriver-tip blade – 2-1/2" (64 mm) long.
- Screwdriver blade locks open.

Cat. No.	Blade Steel	Blade Lengths	Length Closed	Weight (oz.)
1550-6	carbon steel	2-3/8" (60 mm), 2-1/2" (64 mm), 2-1/2" (64 mm)	3-3/4" (95 mm)	5.0



1550-6

All dimensions are in inches and (millimeters).



**WARNING:** Blades are intended for cutting only, and should be handled and disposed of with care. Bending the blade can cause it to break, possibly resulting in bodily injury.

[www.kleintools.com](http://www.kleintools.com)

See page 296 for additional information on warnings.

# Pocket Knives – Combination Blades

## 3-Blade Pocket Knife – Spearpoint, Insulation-Slitting and Screwdriver-Tip Blades

- Spearpoint blade – 2-1/2" (64 mm) long.
- Special insulation-slitting blade – 1-1/2" (38 mm) long.
- Screwdriver-tip blade – 2-1/2" (64 mm) long.
- Both slitting blade and screwdriver-tip blade lock open.

Cat. No.	Blade Steel	Blade Lengths	Length Closed	Weight (oz.)
1550-9	carbon steel	2-1/2" (64 mm), 1-1/2" (38 mm), 2-1/2" (64 mm)	3-3/4" (95 mm)	5.0



1550-9

## Trip-Saver™ – Stainless Steel

- Unique multi-tool addresses the special needs of electricians and maintenance professionals while providing many other features handy on any job.
- Specially designed locking "L" handle snaps securely into the "L" channel, locking the fully opened blade or implement in place during use.
- Features the following:  
Needle-Nose Pliers, Beveled Wire Cutter, Toothed Pipe Grippers, Files (coarse and fine), 5-Slot Wire Stripper (10-18) AWG, Wire-Looping Hole, Scraper, Awl/Reamer, Serrated Sheepsfoot Knife, Clip-Point Knife, Standard/Metric Ruler, Drywall Saw, Locking "L" Handle, #1 and #2 Phillips Hex Bits, Small-Slotted Hex Bit, Large-Slotted Hex Bit, 1/4" Socket Adapter, Lanyard Hole, Nylon Pouch.



1016

Cat. No.	Overall Length	Weight (lbs.)
1016	5-3/4" (143 mm)	.95

**⚠️WARNING:** Close handles to lock blade in place before use.

# Sharpening Tools

## Pocket-Sized Knife Sharpener



44151

- A rugged, versatile sharpener featuring fine craftsmanship and unique design.
- Sharpening rod unscrews and stores in handle for convenient carrying in tool box, pouch, or pocket.
- Sharpening rod is precision-cut, hard-chromed steel for accurate, consistent sharpening and long life.
- Magnetized to trap metal particles when sharpening.
- Handle is a high-visibility orange color with handy pocket clip.

Cat. No.	Blade Length	Length Closed	Weight (lbs.)
44151	3-3/4" (95 mm)	5-1/2" (140 mm)	.05


All dimensions are in inches and (millimeters).



**⚠️WARNING:** Blades are intended for cutting only, and should be handled and disposed of with care. Bending the blade can cause it to break, possibly resulting in bodily injury.

[www.kleintools.com](http://www.kleintools.com)

See page 296 for additional information on warnings.



# Sharpening Tools

## Combination Knife and Scissors Sharpener

- High-grade, tungsten-carbide inserts sharpen both sides of the blade at the same time.
- Restores knife edge in three or four strokes.
- Built-in finger guard helps to protect your hand.
- Lightweight, compact size for easy carrying and storage.
- Sharpens electrician's scissors, pocket knives, retractable-blade utility knives, razor blade knives and serrated knives.



48036

Cat. No.	Overall Size	Weight (lbs.)
48036	4" L x 2-1/4" W x 3/4" D (102 mm x 57 mm x 19 mm)	.10

**WARNING:** Improper use of knife and scissors sharpener and/or failure to follow instructions can result in injuries. Keep your fingers behind the curved guard and your thumb securely on the multi-grooved thumb-rest indentation, never in front of it.

## Utility Knives

### Utility Knife – Retractable Blade

- Top button moves heavy-duty, razor-edged blade to any of three cutting positions.
- Double-ended, reversible blade retracts fully for carrying.
- Lightweight aluminum handle is shaped for comfort.
- Accepts most standard blades.
- Includes three standard blades, stored in handle.
- Made in the U.S.A.
- Leather holder available, Cat. No. 5185.



44100

Cat. No.	Length Closed	Weight (lbs.)
44100	6" (152 mm)	.22

### Utility Knife Blade Dispenser

- 50 blades included.
- High-quality triple ground blades stay sharp longer.
- Gauge on dispenser indicates blades remaining.
- Convenient interim storage for used blades.
- Blades are compatible with all standard utility knives.




44103

Cat. No.	Dimensions	Weight
44103	4.33" x 2.80" x 1.30" (71 mm x 32 mm x 110 mm)	1 lb. (0.45 kg)

### Utility Knife Blades

- Heavy-duty razor-edged blades.
- Universal size fits Klein and most other makes of utility knives.
- Blades are reversible for extra life.
- Blades made in the U.S.A.

Cat. No.	Blade Size	Package Size	Weight (lbs.)
44101	2-7/16" x .025" (62 mm x 6 mm)	5 blades	.05



44101

All dimensions are in inches and (millimeters).



**WARNING:** Blades are intended for cutting only, and should be handled and disposed of with care. Bending the blade can cause it to break, possibly resulting in bodily injury.

[www.kleintools.com](http://www.kleintools.com)

See page 296 for additional information on warnings.

# Utility Knives

## Camouflage Assisted-Open Folding Utility Knife

**NEW!**



44135

- Realtree Xtra® Camo design handle with rubber grip and TPR overmold looks good in the field and on the job site.
- Rugged, heavy-duty and durable construction.
- Spring-assisted opening with dual thumb knob for right- or left-handed use.
- Blade locks when in closed position.



Realtree-XTRA Camouflage Design © 2012 of Jordan Outdoor Enterprises, Ltd., all rights reserved.

Cat. No.	Length Closed	Overall Length w/Blade	Weight
44135	4.44" (113 mm)	7.0" (178 mm)	0.47 lbs. (0.21 kg)

## Folding Utility Knife



44131


- Push button to easily open and close.
- Rugged, heavy-duty and durable construction.
- Contains a wire stripping notch.
- High quality, triple ground blades stay sharp longer.
- Rubber grips on handle for improved control and comfort.
- The bright orange handle color makes this knife easy to find in a tool bag or pouch.



Cat. No.	Length Closed	Overall Length w/Blade	Weight
44131	4.125" (104.8 mm)	6.375" (162 mm)	.27 lbs. (0.12 kg)

## Self-Retracting Utility Knife

- Rugged, heavy-duty and durable construction.
- Knife incorporates a wire-stripping notch.
- Safety yellow handle for greater visibility.
- Blade removal/insertion without disassembly.



Cat. No.	Length Closed	Overall Length w/Blade	Weight
44136	5.0" (127 mm)	5.75" (146 mm)	0.44 lbs. (0.20 kg)

All dimensions are in inches and (millimeters).



**WARNING:** Blades are intended for cutting only, and should be handled and disposed of with care. Bending the blade can cause it to break, possibly resulting in bodily injury.

## Auto-Loading Folding Retractable Utility Knife



44130

- Rugged, heavy-duty and durable construction.
- Auto-loading blade for faster and safer blade changes.
- High quality triple ground blades stay sharp longer.
- Rubber grips on handle for improved control and comfort.
- Internal blade storage holds and includes 3 blades.
- Lock release to close knife.
- Equipped with belt clip.



Cat. No.	Length Closed	Overall Length w/Blade	Weight
44130	4.25" (108 mm)	6.625" (168.3 mm)	.47 lbs. (0.21 kg)

## Klein Kurve™ Retractable Utility Knife



44133

- Rugged, heavy-duty and durable construction.
- Now with a wire-stripping notch.
- High quality, triple ground blades stay sharp longer.
- Rubber grips on handle for improved control and comfort.
- Designed for improved cutting ability.
- Internal blade storage includes and holds 6 blades.



Cat. No.	Length Closed	Overall Length w/Blade	Weight
44133	6.875" (175 mm)	7.0" (178 mm)	0.47 lbs. (0.21 kg)



44136

Blade retracts fully into housing when cut is complete.



# Special-Purpose Knives

## Cable-Sheath Splitting Knife



1515-S

- Compact, lightweight knife for opening lead cables.
- Rugged, forged tempered cutlery steel blade.
- Sharp, chisel-shaped edge.
- Hammer head on back.
- Plastic-dipped handle for comfort.
- Leather guard available, Cat. No. 5574S.

Cat. No.	Overall Length	Blade Length	Weight (lbs.)
1515-S	7-3/8" (187 mm)	2-19/32" (66 mm)	.35

## Bell System Cable-Sheath Splitting Knife — Heavy-Duty



1515-1

- Heavy-duty knife for splitting cable sheaths.
- Rugged, forged tempered cutlery steel blade.
- Sharp chisel-shaped edge.
- Plastic-dipped handle for comfort.
- Leather guard available, Cat. No. 5574L.

Cat. No.	Overall Length	Blade Length	Weight (lbs.)
1515-1	8-3/4" (222 mm)	4-1/2" (114 mm)	1.20

## Cable/Lineman's Skinning Knives



1570-3



1580-3

- Cat. Nos. 1570-3 and 1570-3LR feature three-inch steel blades that withstand frequent scoring and slitting of cable jacket.
- Notch on blade back for scraping or removing wire insulation.
- Comfortable textured handle with finger grooves and guard.
- No contact between stainless steel ring and hardened steel blade (Cat. No. 1570-3).
- Rectangle-shaped handle design for attachment to some utility hot stick equipment.
- Leather sheath available, Cat. No. 5163 only for Cat. Nos. 1570-3 and 1570-3LR.
- Cat. Nos 1580-3 has a 2" (51 mm) blade for increased control when scoring and slitting cable jacket and an ergonomic handle for maximum comfort.

Cat. No.	Description	Handle Color	Length Less Ring	Weight (lbs.)
1570-3	hook blade, notch, and ring	black	8" (203 mm)	.30
1570-3LR	hook blade and notch	black	8" (203 mm)	.29
1580-3	hook blade and notch	black	8" (203 mm)	.28 <b>NEW!</b>

## Cable-Splicer's Knife



44200

- Special-purpose short blade with comfortable, full-sized, heavy-duty handle.
- Coping-type blade made of the finest cutlery steel, tough and carefully tempered to hold its edge.
- Handle is textured for comfort and firm grip.
- Hang hole for easy storage and portability.

Cat. No.	Overall Length	Blade Length	Weight (lbs.)
44200	6-1/4" (159 mm)	1-3/4" (44 mm)	.15

## Cable-Splicer's Kits



46037

- Cuts cable, telephone wire, and strips insulation.
- Dimensions: 2-1/8" x 7-1/2" (54 mm x 191 mm).

Cat. No.	Kit Contains	Weight (lbs.)
46037	cable splicer's kit	.50
Cat. No.	Description	
44200	cable-splicer's knife	
2100-7	electrician's scissors with stripping notches	
5187	slotted leather holder for belts up to 2" (51 mm) wide	



46039

Cat. No.	Kit Contains	Weight (lbs.)
46039	cable splicer's kit - with free-fall snip	.58
Cat. No.	Description	
44200	cable-splicer's knife	
2101-0	free-fall snip	
5187	slotted leather holder for belts up to 2" (51 mm) wide	

All dimensions are in inches and (millimeters).





# Electrician's Scissors

## Electrician's Scissors



2100-5

- Designed for telecom and electrical applications and heavy-duty use.
- Strong, tough tempered steel.
- Nickel-plated finish resists corrosion.
- Scraper and file on outside of both blades.

Cat. No.	Overall Length	Cutting Length	Weight (lbs.)
2100-5	5-1/4" (133 mm)	1-7/8" (48 mm)	.20

## Electrician's Scissors – Stripping Notches



2100-7

- Upper blade has notches for stripping 19 AWG and 23 AWG wire.
- Designed for telecom and electrical applications and heavy-duty use.
- Strong, tough tempered steel.
- Nickel-plated finish resists corrosion.
- Scraper and file on outside of both blades.
- Serrated, lower blade reduces slippage.

Cat. No.	Overall Length	Cutting Length	Weight (lbs.)
2100-7	5-1/4" (133 mm)	1-7/8" (48 mm)	.20

## Stainless Steel Electrician's Scissors – Stripping Notches



2100-9



2100-8

- Stainless steel blades to maintain blade durability and sharpness.
- Blade is fully serrated for non-slip cutting action.
- Cat. No 2100-8 features a free-fall snip feature for ease of use.
- Cuts electrical communication 19 AWG and 23 AWG wire.
- Cat. No 2100-8 has an extended handle to provide comfort and cutting leverage for wire cutting application.

Cat. No.	Overall Length	Cutting Length	Weight (lbs.)
2100-8	6-5/16" (160 mm)	1-7/8" (48 mm)	.21
2100-9	5-1/4" (133 mm)	1-7/8" (48 mm)	.21

# Industrial High-Leverage Shears

## High-Leverage Snip



22000

- Nickel chrome plating resists corrosion and rusting.
- Cat. Nos. 22001 and 22002 have broad, short jaws provide powerful cutting action.
- Cat. Nos. 22001 and 22002 feature one serrated blade for non-slip cutting action.
- Cat. Nos. 22002 and 22003 have extended handles to provide comfort and cutting leverage.
- Cat. Nos. 22000 and 22003 are high-leverage to provide powerful cutting action for light metals, rubber and heavy fabrics.
- Cat. No. 22001 cuts light wire, fabric, cable and cordage.
- Cat. No. 22002 cuts rubber, cables, light metal, wire metal screens, cordage, plastics and ropes.

Cat. No.	Overall Length	Cutting Length	Weight (lbs.)
22000	7" (180 mm)	1-3/4" (45 mm)	.34
22001	8" (203 mm)	2" (51 mm)	.55
22002	8-1/2" (216 mm)	2" (51 mm)	.55
22003	9" (229 mm)	3" (76 mm)	.49

## Large Broad Blade Utility Shear



22002

## Broad Blade Utility Shear



22001

## 8" High-Leverage Utility Shear




22003

All dimensions are in inches and (millimeters).



[www.kleintools.com](http://www.kleintools.com)

See page 296 for additional information on warnings.



# Industrial Utility Snips

## High-Leverage Kevlar® Snip



24000


- Nickel chrome plating resists corrosion and rusting.
- One blade is serrated for non-slip cutting action.
- Spring loaded for self-opening action.
- Cat. Nos. 24000 and 24001 includes a handy closure lock for convenient storage.
- Compatible for right- and left-handed users.
- Cat. Nos. 24000, 24001 are excellent for cutting Kevlar® insulation in fiber optic applications
- Cat. No. 24005 is excellent for cutting electronics and filaments.

## Spring Action Snip



24001

## 5" Electronic Filament Snip



24005

Kevlar® is a registered trademark of E.I. du Pont de Nemours and Company.

Cat. No.	Overall Length	Cutting Length	Weight (lbs.)
24000	6-1/2" (165 mm)	5/8" (16 mm)	.28
24001	6-1/2" (165 mm)	1" (25 mm)	.28
24005	5" (127 mm)	1" (25 mm)	.22

# Bent Trimmers

## 8" Bent Trimmer

- Cuts plastic, rubber, rubber roofing, roofing materials, cording, vinyl, fiberglass components and cloth materials.



23008

### Features:

- Nickel-chrome plating resists corrosion and rusting.
- Extended handle provides comfort and cutting leverage.



23010

## 10" Bent Trimmer

- Cuts plastic, rubber, rubber roofing, roofing materials, cording, vinyl, fiberglass insulation and cloth materials.



23011

## 11-1/4" Bent Trimmer

- Cuts felt lining, muslin, cord, rubber, abrasive materials and multiple layers of fabric.



## Single Serrated Blunt Blade Shear

23015

- Cuts belting, abrasive belting, heavy fabric, leather, upholstery and heavy carpet.
- Deep serrated blade for non-slip cutting action.

Cat. No.	Overall Length	Cutting Length	Weight (lbs.)
23008	9" (229 mm)	3-1/2" (89 mm)	.41
23010	10-1/2" (267 mm)	4-1/2" (114 mm)	.99
23011	11-1/4" (286 mm)	4-3/4" (121 mm)	1.24
23015	9-3/4" (248 mm)	3-3/16" (81 mm)	.94

All dimensions are in inches and (millimeters).

