SAFETY DATA SHEET



1. Product and Company Identification

Product identifier Cal-Blue Plus Pressurized Spray (4182-35)

 Other means of identification
 Not available

 Recommended use
 Gas Leak Detector

 Recommended restrictions
 None known.

 Manufacturer information
 Nu-Calgon

2008 Altom Court St. Louis, MO 63146 US

Phone: 314-469-7000 / 800-554-5499

Emergency Phone: 1-800-424-9300 (CHEMTREC)

Supplier See above.

2. Hazards Identification

Physical hazards Gases under pressure Compressed gas

Health hazards Not classified.

Environmental hazards Not classified.

WHMIS 2015 defined hazards Not classified

Label elements



Signal word Warning

Hazard statement Contains gas under pressure; may explode if heated.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Protect from sunlight. Store in a well-ventilated place. Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

WHMIS 2015: Health Hazard(s)

not otherwise classified

(HHNOC)

None known

WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)

Hazard(s) not otherwise

classified (HNOC)

None known

None known.

Supplemental information Not applicable.

3. Composition/Information on Ingredients

Mixture

Chemical nameCommon name and synonymsCAS number%1,2-Propanediol57-55-625

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First Aid Measures

InhalationIf symptoms develop move victim to fresh air. Get medical attention if symptoms persist.Skin contactFlush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.

Eye contact Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain

medical attention if irritation persists.

Ingestion Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of

aspiration. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical

attention.

Most important symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

Direct contact with eyes may cause temporary irritation.

General information

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Suitable extinguishing media

Unsuitable extinguishing media

Not available.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Alcohol resistant foam. Water fog. Carbon dioxide.

Special protective equipment and precautions for firefighters

In case of fire: Stop leak if safe to do so.

Fire-fighting equipment/instructions Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. Cool containers exposed to flames with water until well after the fire is out.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

General fire hazards

Contents under pressure. Pressurized container may explode when exposed to heat or flame. No

unusual fire or explosion hazards noted.

Hazardous combustion products

May include and are not limited to: Oxides of carbon. Oxides of nitrogen.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Wear appropriate protective equipment and clothing during clean-up. Emergency personnel need self-contained breathing equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Use water spray to reduce vapors or divert vapor cloud drift. Isolate area until gas has dispersed. Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.

7. Handling and Storage

Precautions for safe handling

Avoid contact with eyes and skin. Wash hands thoroughly after handling. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Provide adequate ventilation. Avoid prolonged exposure. Wear appropriate personal protective equipment. Use care in handling/storage. Ensure adequate ventilation. Use good industrial hygiene practices in handling this material. When using do not eat or drink.

Conditions for safe storage, including any incompatibilities Store locked up. Protect from sunlight. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Cylinders should be stored upright, with valve protection cap in place, and firmly secured to prevent falling or being knocked over. Keep away from heat, open flames or other sources of ignition. Do not expose to temperatures exceeding 120°F (49°C). KEEP OUT OF REACH OF CHILDREN.

#27777 Page: 2 of 9 Issue date 27-January-2017

8. Exposure Controls/Personal Protection

Occupational exposure limits

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Form Components Value Type **TWA** 155 mg/m3 Vapor and aerosol. 1,2-Propanediol (CAS 57-55-6) 10 mg/m3 Aerosol.

50 ppm Vapor and aerosol.

US. AIHA Workplace Environmental Exposure Level (WEEL) Guides

Form Components Type Value 1,2-Propanediol (CAS TWA 10 mg/m3 Aerosol.

57-55-6)

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines See above Canada - Alberta OELs: Skin designation

> 1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

Canada - British Columbia OELs: Skin designation

Can be absorbed through the skin. 1,4-Dioxane (CAS 123-91-1)

Canada - Manitoba OELs: Skin designation

1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

Canada - Ontario OELs: Skin designation

1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

Canada - Quebec OELs: Skin designation

1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

Canada - Saskatchewan OELs: Skin designation

1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

Hand protection Rubber gloves. Confirm with a reputable supplier first.

As required by employer code. Wear suitable protective clothing. Other

Respiratory protection Where exposure quideline levels may be exceeded, use an approved NIOSH respirator.

Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134),

CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards Not applicable.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants. When using do not eat or drink.

9. Physical and Chemical Properties

Clear **Appearance** Physical state Gas.

Form Compressed gas. Spray

Blue Color Odor Neutral Odor threshold Not available. рH 8.1 - 8.5 (Liquid)

Melting point/freezing point 15 °F (-9.44 °C) (Liquid)

#27777 Page: 3 of 9 Issue date 27-January-2017 4182-35 (Canada/US GHS) Initial boiling point and boiling

range

Not available.

Pour point Not available. Not available. Specific gravity Partition coefficient Not available

(n-octanol/water)

Not available. Flash point Not available **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available

Flammability limit - upper

Not available

Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%)

150 psi Vapor pressure

Vapor density Not available Relative density Not available. Solubility(ies) Not available. Not available Auto-ignition temperature **Decomposition temperature** Not available.

Viscosity 325 - 425 cPs (Liquid)

Other information

Explosive properties Not explosive. Not oxidizing. Oxidizing properties

10. Stability and Reactivity

Reactivity

This product may react with strong oxidizing agents.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Material is stable under normal conditions. Chemical stability Heat. Do not mix with other chemicals. Conditions to avoid

Incompatible materials

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon. Oxides of nitrogen.

11. Toxicological Information

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Information on likely routes of exposure

Expected to be a low ingestion hazard. May cause stomach distress, nausea or vomiting. Ingestion

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation. Direct contact with eyes may cause temporary irritation.

Strong oxidizing agents.

Symptoms related to the physical, chemical and toxicological characteristics

Information on toxicological effects

Acute toxicity

Components **Species Test Results**

1,2-Propanediol (CAS 57-55-6)

Acute Dermal

LD50 Rabbit 20800 mg/kg

Inhalation

LC50 Not available Components Species Test Results

Oral

LD50 Dog 19000 mg/kg

 Guinea pig
 184000 mg/kg

 Mouse
 23900 mg/kg

 Rabbit
 14800 mg/kg

 Rat
 20000 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Exposure minutesNot available.Erythema valueNot available.Oedema valueNot available.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Corneal opacity value Not available.

Iris lesion value Not available.

Conjunctival reddening Not available.

value

Conjunctival oedema value Not available.

Recover days Not available.

Respiratory or skin sensitization

ACGIH sensitization

Formaldehyde (CAS 50-00-0) Dermal sensitization

Respiratory sensitization

Canada - British Columbia OELs: Respiratory or skin sensitiser

Formaldehyde (CAS 50-00-0) Capable of causing respiratory, dermal or conjunctival

sensitization.

Canada - Manitoba OELs Hazard: Dermal sensitization

Formaldehyde (CAS 50-00-0) Dermal sensitization

Canada - Manitoba OELs Hazard: Respiratory sensitization

Formaldehyde (CAS 50-00-0) Respiratory sensitization

Canada - Saskatchewan OELs Hazard Data: Sensitiser

Formaldehyde (CAS 50-00-0) Sensitizer.

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, NTP, or OSHA. See below.

ACGIH Carcinogens

1,4-Dioxane (CAS 123-91-1)

A3 Confirmed animal carcinogen with unknown relevance to

humans.

Formaldehyde (CAS 50-00-0)

A2 Suspected human carcinogen.

Canada - Alberta OELs: Carcinogen category

Formaldehyde (CAS 50-00-0) Suspected human carcinogen.

Canada - Manitoba OELs: carcinogenicity

1,4-DIOXANE (CAS 123-91-1) Confirmed animal carcinogen with unknown relevance to humans.

FORMALDEHYDE (CAS 50-00-0) Suspected human carcinogen.

Canada - Quebec OELs: Carcinogen category

1,4-Dioxane (CAS 123-91-1)

Formaldehyde (CAS 50-00-0)

Detected carcinogenic effect in animals.

Suspected carcinogenic effect in humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

1,4-Dioxane (CAS 123-91-1) Volume 11, Supplement 7, Volume 71 - 2B Possibly carcinogenic

to humans.

Formaldehyde (CAS 50-00-0) Volume 88, Volume 100F 1 Carcinogenic to humans.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

1,4-Dioxane (CAS 123-91-1) Formaldehyde (CAS 50-00-0)

US NTP Report on Carcinogens: Anticipated carcinogen

1,4-Dioxane (CAS 123-91-1) Reasonably Anticipated to be a Human Carcinogen.

US NTP Report on Carcinogens: Known carcinogen

Formaldehyde (CAS 50-00-0) Known To Be Human Carcinogen.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Formaldehyde (CAS 50-00-0)

Cancer

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Teratogenicity Specific target organ toxicity - Not available.

Not classified.

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

Chronic effects

Prolonged inhalation may be harmful.

12. Ecological Information

Ecotoxicity

See below

Ecotoxicological data

Components **Species Test Results**

1,2-Propanediol (CAS 57-55-6)

Crustacea EC50 Daphnia 10000 mg/L, 48 Hours

Aquatic

EC50 > 10000 mg/L, 48 hours Crustacea Water flea (Daphnia magna) LC50 Fathead minnow (Pimephales promelas) 710 mg/L, 96 hours Fish

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential No data available. Mobility in soil No data available. Mobility in general Not available

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of Disposal instructions

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport Information

Transport of Dangerous Goods (TDG) Proof of Classification

In accordance with Part 2.2.1 (SOR/2014-152) of the Transportation of Dangerous Goods Regulations, we certify that the classification of this product is correct as of the SDS date of issue.

U.S. Department of Transportation (DOT)

Basic shipping requirements:

UN number

Proper shipping name Aerosols, non-flammable, (each not exceeding 1 L capacity)

Limited Quantity - US Hazard class

Packaging non bulk None Packaging bulk None

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

UN number UN1950

Proper shipping name AEROSOLS, non-flammable **Hazard class** Limited Quantity - Canada

80, 107 Special provisions

IATA/ICAO (Air)

Basic shipping requirements:

UN number UN1950

Proper shipping name Aerosols, non-flammable Hazard class Limited Quantity - IATA


IMDG (Marine Transport)

Basic shipping requirements:

UN number UN1950
Proper shipping name AEROSOLS

Hazard class Limited Quantity - IMDG

DOT; IMDG; TDG



15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Canada CEPA Schedule I: Listed substance

Formaldehyde (CAS 50-00-0) Listed.

Canada DSL Challenge Substances: Listed substance

1,4-Dioxane (CAS 123-91-1) Listed.

Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number

Formaldehyde (CAS 50-00-0) 1 TONNES

Canada Priority Substances List (Second List): Listed substance
Formaldehyde (CAS 50-00-0)
Listed.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions Not applicable

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

1,4-Dioxane (CAS 123-91-1) Listed. Formaldehyde (CAS 50-00-0) Listed.

US EPCRA Section 304 Extremely Haz. Subs. & CERCLA Haz. Subs.: Section 304 EHS reportable quantity

Formaldehyde (CAS 50-00-0) 100 LBS

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Formaldehyde (CAS 50-00-0) Cancer

Skin sensitization Respiratory sensitization

Eye irritation Skin irritation

respiratory tract irritation

Acute toxicity Flammability

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - Yes Reactivity Hazard - No

SARA 302 Extremely

hazardous substance

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

1,4-Dioxane (CAS 123-91-1)

Formaldehyde (CAS 50-00-0)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Formaldehyde (CAS 50-00-0)

US state regulations

US - California Hazardous Substances (Director's): Listed substance

1,4-Dioxane (CAS 123-91-1) Listed. Formaldehyde (CAS 50-00-0) Listed.

US - Illinois Chemical Safety Act: Listed substance

1,4-Dioxane (CAS 123-91-1) Formaldehyde (CAS 50-00-0)

US - Louisiana Spill Reporting: Listed substance

1,4-Dioxane (CAS 123-91-1) Listed. Formaldehyde (CAS 50-00-0) Listed.

US - Minnesota Haz Subs: Listed substance

1,2-Propanediol (CAS 57-55-6) Listed. 1,4-Dioxane (CAS 123-91-1) Listed. Formaldehyde (CAS 50-00-0) Listed.

US - New Jersey RTK - Substances: Listed substance

1,2-Propanediol (CAS 57-55-6) 1,4-Dioxane (CAS 123-91-1) Formaldehyde (CAS 50-00-0)

US - North Carolina Toxic Air Pollutants: Listed substance

1,4-Dioxane (CAS 123-91-1) Formaldehyde (CAS 50-00-0)

US - Pennsylvania RTK - Hazardous Substances: Special hazard

1,4-Dioxane (CAS 123-91-1) Formaldehyde (CAS 50-00-0)

US - Texas Effects Screening Levels: Listed substance

 1,2-Propanediol (CAS 57-55-6)
 Listed.

 1,4-Dioxane (CAS 123-91-1)
 Listed.

 Formaldehyde (CAS 50-00-0)
 Listed.

US - Washington Chemical of High Concern to Children: Listed substance

1,4-Dioxane (CAS 123-91-1) Formaldehyde (CAS 50-00-0)

US. Massachusetts RTK - Substance List

1,4-Dioxane (CAS 123-91-1) Formaldehyde (CAS 50-00-0)

US. New Jersey Worker and Community Right-to-Know Act

1,4-Dioxane (CAS 123-91-1) Formaldehyde (CAS 50-00-0)

US. Pennsylvania Worker and Community Right-to-Know Law

1,2-Propanediol (CAS 57-55-6)

1,4-Dioxane (CAS 123-91-1)

Formaldehyde (CAS 50-00-0)

US. Rhode Island RTK

1.4-Dioxane (CAS 123-91-1) Formaldehyde (CAS 50-00-0)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance


1,4-Dioxane (CAS 123-91-1) Listed: January 1, 1988 Formaldehyde (CAS 50-00-0) Listed: January 1, 1988

Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information







Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained

in this document.

Issue date 27-January-2017

Version # 01

Effective date 27-January-2017

Nu-Calgon Technical Service Phone: (314) 469-7000 Prepared by

Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.