

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product name Fluorescent Gas Leak Detector (4184-01, 4184-08, 4184-24, 4184-53)

CAS# Mixture

Product Use Gas Leak Detector

Nu-Calgon Manufacturer

2008 Altom Court St. Louis, MO 63146 US

Phone: 314-469-7000 / 800-554-5499

Emergency Phone: 1-800-424-9300 (CHEMTREC)

2. Hazards Identification

MAY CAUSE EYE AND SKIN IRRITATION. **Emergency overview**

Potential short term health effects

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Eyes May cause irritation. Skin May cause irritation.

Prolonged inhalation may be harmful. Inhalation

Ingestion May cause stomach distress, nausea or vomiting.

Target organs Eyes. Skin. Respiratory system.

Chronic effects Prolonged or repeated exposure can cause drying, defatting and dermatitis.

Symptoms may include redness, oedema, drying, defatting and cracking of the skin. Symptoms of Signs and symptoms

overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Potential environmental effects See section 12.

3. Composition/Information on Ingredients

Composition comments None by WHMIS criteria.

4. First Aid Measures

First aid procedures

Eye contact Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain

medical attention if irritation persists.

Skin contact Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.

Not a normal route of exposure. If symptoms develop move victim to fresh air. If symptoms Inhalation

persist, obtain medical attention.

Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of Ingestion

aspiration. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical

attention.

Notes to physician Treat symptomatically.

5. Fire Fighting Measures

Not flammable by WHMIS criteria. Flammable properties

Extinguishing media

Suitable extinguishing

media

Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Protection of firefighters

Specific hazards arising from the chemical

Not available

#17947 Page: 1 of 4 Issue date 22-September-2014 Protective equipment for

firefighters

Not available

Hazardous combustion

products

May include and are not limited to: Oxides of carbon. Oxides of nitrogen.

Explosion data

Sensitivity to mechanical

impact

Not available.

Sensitivity to static

discharge

Not available.

6. Accidental Release Measures

Personal precautions Keep out of low areas. Keep unnecessary personnel away. Keep people away from and upwind of

spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate

protective clothing. For personal protection, see section 8.

Environmental precautions

Methods for containment Methods for cleaning up Avoid discharge into drains, water courses or onto the ground. Use water spray to reduce vapours or divert vapour cloud drift.

Large Spills: Dike the spilled material, where this is possible. Stop the flow of material, if this is

without risk. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth

and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination. For waste disposal, see section 13.

Never return spills to original containers for re-use.

7. Handling and Storage

Handling Storage Ensure adequate ventilation. Avoid contact with eyes, skin and clothing.

Keep away from heat, open flames or other sources of ignition. Store away from incompatible

materials (see Section 10 of the MSDS).

8. Exposure Controls/Personal Protection

Exposure limits

Not applicable.

Engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment

Eye/Face protection

Safety goggles or glasses.

Hand protection

Rubber gloves. Confirm with a reputable supplier first.

Skin and body protection

As required by employer code. Wear suitable protective clothing.

Respiratory protection

Not normally required if good ventilation is maintained. Where exposure guideline levels may be

exceeded, use an approved NIOSH respirator.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and Chemical Properties

Appearance

Clear

Colour Form Fluorescent Yellow

Odour

Liquid. Neutral

Odour threshold

Not available.

Physical state

Liquid.

рΗ

8.1 - 8.5 (Concentrate)

Freezing point
Boiling point

-9.44 °C (15 °F) Not available.

Pour point

Not available.

Evaporation rate

Flash point

Auto-ignition temperature

Flammability Limits in Air,
Upper, % by Volume

Not available
Not available

Flammability Limits in Air,

Lower, % by Volume

Not available

Heat of combustion

Vapour pressure

Vapour density

Specific gravity

Partition coefficient

Not available.

Not available.

Not available.

(n-octanol/water)

Solubility (Water)

Relative density

Viscosity

VOC

Not available.

Not available.

325 - 425 cPs

Not available

Not available

Not available

10. Stability and Reactivity

Reactivity This product may react with strong oxidising agents.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Do not mix with other chemicals.

Incompatible materials Strong oxidising agents.

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon. Oxides of nitrogen.

11. Toxicological Information

Effects of acute exposure

Eye contactMay cause irritation.Skin contactMay cause irritation.

Inhalation Prolonged inhalation may be harmful.

Ingestion May cause stomach distress, nausea or vomiting.

Sensitisation

Chronic effects

Non-hazardous by WHMIS criteria.

Teratogenicity

Non-hazardous by WHMIS criteria.

Name of Toxicologically Synergistic Products Not available.

12. Ecological Information

EcotoxicityNot available.Persistence and degradabilityNot available.Bioaccumulation/accumulationNot available.Mobility in environmentalNot available.

media

Environmental effectsNot available.Aquatic toxicityNot available.Chemical fate informationNot available.

13. Disposal Considerations

Disposal instructions

Review federal, provincial, and local government requirements prior to disposal.

Waste from residues / unused

products

Not available

Contaminated packaging

Not available

14. Transport Information

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory Information

Canadian federal regulations This product has been classified in accordance with the hazard criteria of the Controlled Products

Regulations and the MSDS contains all the information required by the Controlled Products

Regulations.

WHMIS status Not Controlled

Inventory status

Country(s) or region Inventory Name

On Inventory (Yes/No)*

Canada Domestic Substances List (DSL)

No


Canada Non-Domestic Substances List (NDSL)

No

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0





Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date22-September-2014Effective date15-September-2014Expiry Date15-September-2017

Prepared by Nu-Calgon Technical Service Phone: (314) 469-7000

Other information For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the

document.

This MSDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)